

# Index of Papers Published in 1982

## Author Index

### A

- Abbott, H. T. and Serra, O.:** *The Contribution of Logging Data to Sedimentology and Stratigraphy*, (Tech. Paper SPE9270) SPEJ Feb., 82 117-131
- Advani, S.H. and Lee, J.K.:** *Finite Element Model Simulations Associated With Hydraulic Fracturing*, (Tech. Paper SPE8941) SPEJ Apr., 82 209-218
- Agarwal, S.L. et al.:** *Determination of Thermal Conductivity of Soils: A Need for Computing Heat Loss Through Buried Submarine Pipelines*, (Tech. Paper SPE8665) SPEJ Aug., 82 558-562
- Albright, J.N. and Pearson, C.F.:** *Acoustic Emissions as a Tool for Hydraulic Fracture Location: Experience at the Fenton Hill Hot Dry Rock Site*, (Tech. Paper SPE9509) SPEJ Aug., 82 523-530
- Amaefule, J.O. et al.:** *Authors' Reply to Discussion of Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE11597) SPEJ Dec., 82 909
- Amaefule, J.O. et al.:** *Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE7867) SPEJ Oct., 82 722-730
- Amaefule, J.O. and Handy, L.L.:** *The Effect of Interfacial Tensions on Relative Oil/Water Permeabilities of Consolidated Porous Media*, (Tech. Paper SPE9783) SPEJ June, 82 371-381
- Anderson, G.D. et al.:** *Some Effects of Stress, Friction, and Fluid Flow on Hydraulic Fracturing*, (Tech. Paper SPE9831) SPEJ June, 82 321-332
- Aziz, K. et al.:** *Computation of Multiphase Equilibrium for Compositional Simulation*, (Tech. Paper SPE9232) SPEJ Feb., 82 61-68

### B

- Baker, L.E. et al.:** *Gibbs Energy Analysis of Phase Equilibria*, (Tech. Paper SPE9806) SPEJ Oct., 82 731-742
- Batycky, J. P. et al.:** *Simulation of Miscible Displacement in Full-Diameter Carbonate Cores*, (Tech. Paper SPE9233) SPEJ Oct., 82 647-657
- Behie, A. and Vinsome, P.K.W.:** *Block Iterative Methods for Fully Implicit Reservoir Simulation*, (Tech. Paper SPE9303) SPEJ Oct., 82 658-668
- Benson, S.M. et al.:** *Wellbore Effects in the Analysis of Two-Phase Geothermal Well Tests*, (Tech. Paper SPE9922) SPEJ June, 82 309-320
- Benton, W.J. et al.:** *Phase Behavior Studies of Two Model Surfactant Systems*, (Tech. Paper SPE8984) SPEJ Feb., 82 53-60
- Bivins, R.L. et al.:** *Interwell Tracer Analysis of a Hydraulically Fractured Granite Geothermal Reservoir*, (Tech. Paper SPE8270) SPEJ Aug., 82 537-554
- Blanks, G.L. et al.:** *Scanning Electron Microscopy and Core Analysis for Mini CO<sub>2</sub> Flooding Operations in the Hospah Formation of the Miguel Field in McKinley County, New Mexico*, (Tech. Paper SPE10302) SPEJ Dec., 82 797-804
- Bodvarsson, G.S. et al.:** *Model Studies of the Depletion of Two-Phase Geothermal Reservoirs*, (Tech. Paper SPE8266) SPEJ Apr., 82 280-290
- Bommer, P.M. and Schechter, R.S.:** *Optimization of Uranium Leach Mining*, (Tech. Paper SPE9488) SPEJ Feb., 82 132-140
- Bourbie, T. and Walls, J.:** *Pulse Decay Permeability: Analytical Solution and Experimental Test*, (Tech. Paper SPE9744) SPEJ Oct., 82 719-721
- Bourrel, M. et al.:** *The Topology of Phase Boundaries for Oil/Brine/Surfactant Systems and Its Relationship to Oil Recovery*, (Tech. Paper SPE9352) SPEJ Feb., 82 28-36
- Bratli, R.K. et al.:** *Sand Stresses Around a Wellbore*, (Tech. Paper SPE9650) SPEJ Dec., 82 883-898

- Brown, R.G. et al.:** *Thermodynamic Modeling of Pseudoternary Phase Behavior*, (Tech. Paper SPE10062) SPEJ Dec., 82 945-961
- Bunge, A.L. and Radke, C.J.:** *Migration of Alkaline Pulses in Reservoir Sands*, (Tech. Paper SPE10288) SPEJ Dec., 82 998-1012

### C

- Caffrey, D.R.:** *Discussion of Elevated-Temperature Caustic/Sandstone Interaction: Implications for Improving Oil Recovery*, (Tech. Paper SPE11348) SPEJ Dec., 82 910
- Campbell, T.C. et al.:** *Surfactant Flooding 2: The Effect of Alkaline Additives on Permeability and Sweep Efficiency*, (Tech. Paper SPE9811) SPEJ Dec., 82 983-992
- Campbell, T.C. et al.:** *Surfactant Flooding 1: The Effect of Alkaline Additives on IFT, Surfactant Adsorption, and Recovery Efficiency*, (Tech. Paper SPE8998) SPEJ Aug., 82 503-513
- Carter, R.D. et al.:** *Discussion of Comparison of Sensitivity Coefficient Calculation Methods in Automatic History Matching*, (Tech. Paper SPE10873) SPEJ Apr., 82 205-208
- Casulli, V. and Greenspan, D.:** *Numerical Simulation of Miscible and Immiscible Fluid Flows in Porous Media*, (Tech. Paper SPE9767) SPEJ Oct., 82 635-646
- Chambu, C. et al.:** *The Topology of Phase Boundaries for Oil/Brine/Surfactant Systems and Its Relationship to Oil Recovery*, (Tech. Paper SPE9352) SPEJ Feb., 82 28-36
- Chiu, C.S. and Kellerhals, G.E.:** *Use of Perspective Plots To Aid in Determining Factors Affecting Interfacial Tensions Between Surfactant Solutions and Crude Oil*, (Forum SPE9969) SPEJ June, 82 350-352
- Cinco-Ley, H. et al.:** *Non-Darcy Flow in Wells With Finite-Conductivity Vertical Fractures*, (Tech. Paper SPE8281) SPEJ Oct., 82 681-698
- Cinco-Ley, H. et al.:** *The Influence of Vertical Fractures Intercepting Active and Observation Wells on Interference Tests*, (Tech. Paper SPE9346) SPEJ Dec., 82 933-944
- Clark, J.A. et al.:** *Laboratory Investigation on the Effect of In-Situ Stresses on Hydraulic Fracture Containment*, (Tech. Paper SPE9834) SPEJ June, 82 333-340
- Clark, P.E.:** *Discussion of Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE11323) SPEJ Dec., 82 905-908
- Clough, S.B. et al.:** *Xanthan Gum - A Lyotropic, Liquid Crystalline Polymer and Its Properties as a Suspending Agent*, (Forum SPE9097) SPEJ Aug., 82 555-556
- Cluff, R.M. and Dickerson, D.R.:** *Natural Gas Potential of the New Albany Shale Group (Devonian-Mississippian) in Southeastern Illinois*, (Tech. Paper SPE8924) SPEJ Apr., 82 291-300
- Coats, K.H.:** *Simulation of 1/8 Five-/Nine-Spot Patterns*, (Forum SPE10915) SPEJ Dec., 82 902
- Collins, R.E. and Gruesbeck, C.:** *Particle Transport Through Perforations*, (Tech. Paper SPE7006) SPEJ Dec., 82 857-865
- Collins, R.E. and Gruesbeck, C.:** *Entrainment and Deposition of Fine Particles in Porous Media*, (Tech. Paper SPE8430) SPEJ Dec., 82 847-856
- Council, J.R. and Ramey, H.J., Jr.:** *Effects of Vaporization and Temperature in Gas/Liquid Relative Permeability Experiments*, (Tech. Paper SPE9729) SPEJ Feb., 82 108-116

### D

- Davenport, C.B. et al.:** *An Improved Simulation for Interpreting Temperature Logs in Water Injection Wells*, (Tech. Paper SPE10081) SPEJ Oct., 82 709-718

## Davis-Handy

- Davis, H.T. et al.:** *Vesicular Dispersion Delivery Systems and Surfactant Waterflooding*, (Tech. Paper SPE9349) SPEJ Feb., 82 37-52
- Davis, H.T. et al.:** *Thermodynamic Modeling of Pseudoternary Phase Behavior*, (Tech. Paper SPE10062) SPEJ Dec., 82 945-961
- Davison, P. and Mentzer, E.:** *Polymer Flooding in North Sea Reservoirs*, (Tech. Paper SPE9300) SPEJ June, 82 353-362
- deZabala, E.F. et al.:** *A Chemical Theory for Linear Alkaline Flooding*, (Tech. Paper SPE8997) SPEJ Apr., 82 245-258
- Dickerson, D.R. and Cluff, R.M.:** *Natural Gas Potential of the New Albany Shale Group (Devonian-Mississippian) in Southeastern Illinois*, (Tech. Paper SPE8924) SPEJ Apr., 82 291-300
- Didier, G. et al.:** *Comparison of the Inhibitory Action of KCl and Guanidine Hydrochloride Solutions on Montmorillonite Swelling*, (Tech. Paper SPE9092) SPEJ Aug., 82 514-522
- Dixon, S.A. et al.:** *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 2-Laboratory Study of a Mild Leaching System*, (Tech. Paper SPE10231) SPEJ Dec., 82 1013-1022
- Durham, K.S.:** *Tubing Movement, Forces, and Stresses in Dual-Flow Assembly Installations*, (Tech. Paper SPE9265) SPEJ Dec., 82 866-874

## E

- El Shouhary, Y. et al.:** *Automation of an In-Situ Combustion Tube and Study of the Effect of Clay on the In-Situ Combustion Process*, (Tech. Paper SPE10320) SPEJ Aug., 82 493-502
- Eneedy, S.L. et al.:** *Competing Roles of Interfacial Tension and Surfactant Equivalent Weight in the Development of a Chemical Flood*, (Tech. Paper SPE8898) SPEJ Aug., 82 472-480
- Engelmann, W.H. et al.:** *Restoration of Groundwater Quality Following Pilot-Scale Acidic In-Situ Uranium Leaching at Nine-Mile Lake Site Near Casper, Wyoming*, (Tech. Paper SPE9494) SPEJ June, 82 382-398
- Ershaghi, I. et al.:** *Authors' Reply to Discussion of Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE11597) SPEJ Dec., 82 909
- Ershaghi, I. et al.:** *Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE7867) SPEJ Oct., 82 722-730
- Evans, K. et al.:** *The Geometry of a Large-Scale Nitrogen Gas Hydraulic Fracture Formed in Devonian Shale: An Example of Fracture Mapping With Tiltmeter*, (Tech. Paper SPE8933) SPEJ Oct., 82 755-763
- Evans, R.D.:** *A Proposed Model for Multiphase Flow Through Naturally Fractured Reservoirs*, (Tech. Paper SPE9944) SPEJ Oct., 82 669-680

## F

- Fagley, J. et al.:** *An Improved Simulation for Interpreting Temperature Logs in Water Injection Wells*, (Tech. Paper SPE10081) SPEJ Oct., 82 709-718
- Falcone, J.S. Jr. et al.:** *Surfactant Flooding 2: The Effect of Alkaline Additives on Permeability and Sweep Efficiency*, (Tech. Paper SPE9811) SPEJ Dec., 82 983-992
- Falcone, J.S. Jr. et al.:** *Surfactant Flooding 1: The Effect of Alkaline Additives on IFT, Surfactant Adsorption, and Recovery Efficiency*, (Tech. Paper SPE8998) SPEJ Aug., 82 503-513
- Farouq Ali, S.M. et al.:** *Competing Roles of Interfacial Tension and Surfactant Equivalent Weight in the Development of a Chemical Flood*, (Tech. Paper SPE8898) SPEJ Aug., 82 472-480
- Fisher, D.B. et al.:** *Simulation of Miscible Displacement in Full-Diameter Carbonate Cores*, (Tech. Paper SPE9233) SPEJ Oct., 82 647-657
- Fogler, H.S. et al.:** *The Radial Movement of Permeability Fronts and Multiple Reaction Zones in Porous Media*, (Tech. Paper SPE9495) SPEJ Feb., 82 99-107
- Fogler, H.S.:** *Author's Reply to Discussion of the Radial Movement of Permeability Fronts and Multiple Reaction Zones in Porous Media*, (Tech. Paper SPE11590) SPEJ Dec., 82 905

- Fogler, H.S. et al.:** *An Improved Simulation for Interpreting Temperature Logs in Water Injection Wells*, (Tech. Paper SPE10081) SPEJ Oct., 82 709-718
- Fort, T. Jr. et al.:** *Phase Behavior Studies of Two Model Surfactant Systems*, (Tech. Paper SPE8984) SPEJ Feb., 82 53-60
- Fortney, L.N. et al.:** *Criteria for Structuring Surfactants To Maximize Solubilization of Oil and Water: Part 1 -- Commercial Nonionics*, (Tech. Paper SPE9815) SPEJ Oct., 82 743-749
- Franses, E.I. et al.:** *Vesicular Dispersion Delivery Systems and Surfactant Waterflooding*, (Tech. Paper SPE9349) SPEJ Feb., 82 37-52
- Frey, W.P. et al.:** *Field Tests of Organic Additives for Scale Control at the Salton Sea Geothermal Field*, (Tech. Paper SPE9091) SPEJ Feb., 82 17-27
- Friedman, G.M. and Ruzyla, K.:** *Geological Heterogeneities Important to Future Enhanced Recovery in Carbonate Reservoirs of Upper Ordovician Red River Formation at Cabin Creek Field, Montana*, (Tech. Paper SPE9802) SPEJ June, 82 429-444

## G

- Gajderowicz, C.C. et al.:** *Characterization and Oil Recovery Observations on a Series of Synthetic Petroleum Sulfonates*, (Tech. Paper SPE8323) SPEJ Apr., 82 226-236
- Gerbacia, W. and McMillen, T.J.:** *Oil-Recovery Surfactant Formulation Development Using Surface Design Experiments*, (Tech. Paper SPE8878) SPEJ Apr., 82 237-244
- Giltay, J.:** *Discussion of Analytical Modeling of Oil Recovery by Steam Injection: Part 2 - Asymptotic and Approximate Solutions*, (Tech. Paper SPE10943) SPEJ Aug., 82 557
- Gottlieb, T. and Mann, T.:** *Fatigue Analysis of Clad and Unclad Thick-Wall Structures*, (Tech. Paper SPE10853) SPEJ Feb., 82 151-156
- Gracia, A. et al.:** *Criteria for Structuring Surfactants To Maximize Solubilization of Oil and Water: Part 1 -- Commercial Nonionics*, (Tech. Paper SPE9815) SPEJ Oct., 82 743-749
- Green, D.W. et al.:** *The Effect of Temperature on Gelation Time for Polyacrylamide/Chromium (III) System*, (Tech. Paper SPE10059) SPEJ Aug., 82 463-471
- Greenspan, D. and Casulli, V.:** *Numerical Simulation of Miscible and Immiscible Fluid Flows in Porous Media*, (Tech. Paper SPE9767) SPEJ Oct., 82 635-646
- Gruesbeck, C. and Collins, R.E.:** *Particle Transport Through Perforations*, (Tech. Paper SPE7006) SPEJ Dec., 82 857-865
- Gruesbeck, C. and Collins, R.E.:** *Entrainment and Deposition of Fine Particles in Porous Media*, (Tech. Paper SPE8430) SPEJ Dec., 82 847-856
- Gulhati, S.K. et al.:** *Determination of Thermal Conductivity of Soils: A Need for Computing Heat Loss Through Buried Submarine Pipelines*, (Tech. Paper SPE8665) SPEJ Aug., 82 558-562
- Guppy, K.H. et al.:** *Non-Darcy Flow in Wells With Finite-Conductivity Vertical Fractures*, (Tech. Paper SPE8281) SPEJ Oct., 82 681-698
- Gupta, S.P.:** *Dispersive Mixing Effects on the Sloss Field Micellar System*, (Tech. Paper SPE9782) SPEJ Aug., 82 481-492
- Guvener, I.M. et al.:** *Automation of an In-Situ Combustion Tube and Study of the Effect of Clay on the In-Situ Combustion Process*, (Tech. Paper SPE10320) SPEJ Aug., 82 493-502

## H

- Handy, L.L. et al.:** *Authors' Reply to Discussion of Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE11597) SPEJ Dec., 82 909
- Handy, L.L. et al.:** *Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE7867) SPEJ Oct., 82 722-730
- Handy, L.L. and Amaefule, J.O.:** *The Effect of Interfacial Tensions on Relative Oil/Water Permeabilities of Consolidated Porous Media*, (Tech. Paper SPE9783) SPEJ June, 82 371-381

## K

- Hanson, M.E. et al.: *Some Effects of Stress, Friction, and Fluid Flow on Hydraulic Fracturing*, (Tech. Paper SPE9831) SPEJ June, 82 321-332
- Hanzawa, M. et al.: *Fatigue Behavior of Large-Diameter Wire Ropes*, (Tech. Paper SPE10905) SPEJ June, 82 420-428
- Harrar, J.E. et al.: *Field Tests of Organic Additives for Scale Control at the Salton Sea Geothermal Field*, (Tech. Paper SPE9091) SPEJ Feb., 82 17-27
- Harvey, A.H.: *Influence of Adjacent Conductive Formations on the Selective Electric Reservoir Heating Process*, (Tech. Paper SPE9082) SPEJ Oct., 82 750-754
- Harvie, C.E. et al.: *Toward an Accurate and Efficient Chemical Model for Hydrothermal Brines*, (Tech. Paper SPE8993) SPEJ Oct., 82 699-708
- Heidemann, R.A. et al.: *Computation of Multiphase Equilibrium for Compositional Simulation*, (Tech. Paper SPE9232) SPEJ Feb., 82 61-68
- Hekim, Y. et al.: *The Radial Movement of Permeability Fronts and Multiple Reaction Zones in Porous Media*, (Tech. Paper SPE9495) SPEJ Feb., 82 99-107
- Hensel, W.N., Jr.: *An Improved Summation-of-Fluids Porosity Technique*, (Tech. Paper SPE9376) SPEJ Apr., 82 193-201
- Hirasaki, G.J.: *Ion Exchange With Clays in the Presence of Surfactant*, (Tech. Paper SPE9279) SPEJ Apr., 82 181-192
- Hirasaki, G.J.: *Interpretation of the Change in Optimal Salinity With Overall Surfactant Concentration*, (Tech. Paper SPE10063) SPEJ Dec., 82 971-982
- Ho, P.C. and Kraus, K.A.: *The Effect of Hydrotropic Salts on Phase Relationships Involving Hydrocarbons, Water, and Alcohol*, (Tech. Paper SPE8987) SPEJ June, 82 363-370
- Holm, L.W. and Josendal, V.A.: *Effect of Oil Composition on Miscible-Type Displacement by Carbon Dioxide*, (Tech. Paper SPE8814) SPEJ Feb., 82 87-98
- Holzhausen, G. et al.: *The Geometry of a Large-Scale Nitrogen Gas Hydraulic Fracture Formed in Devonian Shale: An Example of Fracture Mapping With Tiltmeter*, (Tech. Paper SPE8933) SPEJ Oct., 82 755-763
- Horsrud, P. et al.: *Sand Stresses Around a Wellbore*, (Tech. Paper SPE9650) SPEJ Dec., 82 883-898
- Huddle, C.W. et al.: *Laboratory Investigation on the Effect of In-Situ Stresses on Hydraulic Fracture Containment*, (Tech. Paper SPE9834) SPEJ June, 82 333-340
- Hwang, M.K. et al.: *An In-Situ Combustion Process Simulator With a Moving-Front Representation*, (Tech. Paper SPE9450) SPEJ Apr., 82 271-279
- Kabir, M.I. et al.: *Evaluation of the One-Well Uranium Leaching Test: Restoration*, (Tech. Paper SPE9486) SPEJ Feb., 82 141-150
- Kao, C.I. et al.: *Kinetic Study of Desulfonation of Disulfonated Alkyl Diphenyloxide Surfactants*, (Tech. Paper SPE10936) SPEJ Dec., 82 993-997
- Kazemi, H. and MacMillan, D.J.: *A Numerical Simulation Comparison of Five-Spot vs. Line Drive in Micellar/Polymer Flooding*, (Tech. Paper SPE9427) SPEJ Feb., 82 69-78
- Kellerhals, G.E. and Chiou, C.S.: *Use of Perspective Plots To Aid in Determining Factors Affecting Interfacial Tensions Between Surfactant Solutions and Crude Oil*, (Forum SPE9969) SPEJ June, 82 350-352
- Kemp, L.F. et al.: *Discussion of Comparison of Sensitivity Coefficient Calculation Methods in Automatic History Matching*, (Tech. Paper SPE10873) SPEJ Apr., 82 205-208
- Kraus, K.A. and Ho, P.C.: *The Effect of Hydrotropic Salts on Phase Relationships Involving Hydrocarbons, Water, and Alcohol*, (Tech. Paper SPE8987) SPEJ June, 82 363-370
- Kruger, G.A.: *Modeling of Piled Foundations*, (Tech. Paper SPE11276) SPEJ Oct., 82 775-783
- Kristal, F.W. et al.: *Kinetic Study of Desulfonation of Disulfonated Alkyl Diphenyloxide Surfactants*, (Tech. Paper SPE10936) SPEJ Dec., 82 993-997
- Kritikos, W.P. et al.: *Automation of an In-Situ Combustion Tube and Study of the Effect of Clay on the In-Situ Combustion Process*, (Tech. Paper SPE10320) SPEJ Aug., 82 493-502
- Krueger, D.A.: *Stability of Piston-Like Displacement of Water by Steam and Nitrogen in Porous Media*, (Tech. Paper SPE9732) SPEJ Oct., 82 625-634
- Krumrine, P.H. et al.: *Surfactant Flooding 2: The Effect of Alkaline Additives on Permeability and Sweep Efficiency*, (Tech. Paper SPE9811) SPEJ Dec., 82 983-992
- Krumrine, P.H. et al.: *Surfactant Flooding 1: The Effect of Alkaline Additives on IFT, Surfactant Adsorption, and Recovery Efficiency*, (Tech. Paper SPE8998) SPEJ Aug., 82 503-513
- Kupperman, G.S. et al.: *Scanning Electron Microscopy and Core Analysis for Mini CO<sub>2</sub> Flooding Operations in the Hospah Formation of the Miguel Field in McKinley County, New Mexico*, (Tech. Paper SPE10302) SPEJ Dec., 82 797-804
- Kusubov, A.S. and Swift, R.P.: *Multiple Fracturing of Boreholes by Using Tailored-Pulse Loading*, (Tech. Paper SPE9892) SPEJ Dec., 82 923-932
- Kyogoku, T. et al.: *Experimental Study on the Effect of Axial Tension Load on the Collapse Strength of Oilwell Casing*, (Tech. Paper SPE11238) SPEJ Oct., 82 609-615

## L

- Ilitis, M. et al.: *Comparison of the Inhibitory Action of KCl and Guanidine Hydrochloride Solutions on Montmorillonite Swelling*, (Tech. Paper SPE9092) SPEJ Aug., 82 514-522
- Jamison, D.E. et al.: *Xanthan Gum -- A Lyotropic, Liquid Crystalline Polymer and Its Properties as a Suspending Agent*, (Forum SPE9097) SPEJ Aug., 82 555-556
- Jines, W.R. et al.: *An In-Situ Combustion Process Simulator With a Moving-Front Representation*, (Tech. Paper SPE9450) SPEJ Apr., 82 271-279
- Johnson, W.F. et al.: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 2--Laboratory Study of a Mild Leaching System*, (Tech. Paper SPE10231) SPEJ Dec., 82 1013-1022
- Jones, G.R.: *Structural Repair Experiences in the Viking Gas Field*, (Tech. Paper SPE10942) SPEJ Aug., 82 585-593
- Jordan, D.S. et al.: *The Effect of Temperature on Gelation Time for Polyacrylamide/Chromium (III) System*, (Tech. Paper SPE10059) SPEJ Aug., 82 463-471
- Josendal, V.A. and Holm, L.W.: *Effect of Oil Composition on Miscible-Type Displacement by Carbon Dioxide*, (Tech. Paper SPE8814) SPEJ Feb., 82 87-98
- Lake, L.W. et al.: *Evaluation of the One-Well Uranium Leaching Test: Restoration*, (Tech. Paper SPE9486) SPEJ Feb., 82 141-150
- Lareal, P. et al.: *Comparison of the Inhibitory Action of KCl and Guanidine Hydrochloride Solutions on Montmorillonite Swelling*, (Tech. Paper SPE9092) SPEJ Aug., 82 514-522
- Larson, R.G.: *Controlling Numerical Dispersion by Variably Timed Flux Updating in One Dimension*, (Tech. Paper SPE8027) SPEJ June, 82 399-408
- Larson, R.G.: *Controlling Numerical Dispersion by Variably Timed Flux Updating in Two Dimensions*, (Tech. Paper SPE9374) SPEJ June, 82 409-419
- Lease, W.O. and Van Egmond, C.F.: *An Oscillating Backpressure Regulator for Low Flow Rate, High-Pressure Coreflooding Experiments*, (Tech. Paper SPE9964) SPEJ Dec., 82 899-901
- Lee, J.K. and Advani, S.H.: *Finite Element Model Simulations Associated With Hydraulic Fracturing*, (Tech. Paper SPE8941) SPEJ Apr., 82 209-218
- Leon, T. et al.: *Equations and Type Curves for Predicting the Polymerization of Amorphous Silica in Geothermal Brines*, (Tech. Paper SPE9682) SPEJ Feb., 82 9-16

- Locke, F.E. et al.:** *Field Tests of Organic Additives for Scale Control at the Salton Sea Geothermal Field*, (Tech. Paper SPE9091) SPEJ Feb., 82 17-27
- Loest, K.W. et al.:** *Restoration of Groundwater Quality Following Pilot-Scale Acidic In-Situ Uranium Leaching at Nine-Mile Lake Site Near Casper, Wyoming*, (Tech. Paper SPE9494) SPEJ June, 82 382-398
- Lorensen, L.E. et al.:** *Field Tests of Organic Additives for Scale Control at the Salton Sea Geothermal Field*, (Tech. Paper SPE9091) SPEJ Feb., 82 17-27
- Luks, K.D. et al.:** *Gibbs Energy Analysis of Phase Equilibria*, (Tech. Paper SPE9806) SPEJ Oct., 82 731-742

M

- MacMillan, D.J. and Kazemi, H.:** *A Numerical Simulation Comparison of Five-Spot vs. Line Drive in Micellar/Polymer Flooding*, (Tech. Paper SPE9427) SPEJ Feb., 82 69-78
- Maini, B.B. et al.:** *Simulation of Miscible Displacement in Full-Diameter Carbonate Cores*, (Tech. Paper SPE9233) SPEJ Oct., 82 647-657
- Malhotra, A.K. et al.:** *Determination of Thermal Conductivity of Soils: A Need for Computing Heat Loss Through Buried Submarine Pipelines*, (Tech. Paper SPE8665) SPEJ Aug., 82 558-562
- Malmberg, E.W. et al.:** *Characterization and Oil Recovery Observations on a Series of Synthetic Petroleum Sulfonates*, (Tech. Paper SPE8323) SPEJ Apr., 82 226-236
- Mann, T. and Gottlieb, T.:** *Fatigue Analysis of Clad and Unclad Thick-Wall Structures*, (Tech. Paper SPE10853) SPEJ Feb., 82 151-156
- Mansoori, J.:** *Discussion of Compositional Modeling With an Equation of State*, (Tech. Paper SPE10894) SPEJ Apr., 82 202-203
- Marriott, R.C. et al.:** *Kinetic Study of Desulfonation of Disulfonated Alkyl Diphenyloxide Surfactants*, (Tech. Paper SPE10936) SPEJ Dec., 82 993-997
- Martin, F.D. et al.:** *Characterization and Oil Recovery Observations on a Series of Synthetic Petroleum Sulfonates*, (Tech. Paper SPE8323) SPEJ Apr., 82 226-236
- Marx, C. and Murtada, H.:** *Evaluation of the Low Tension Flood Process for High-Salinity Reservoirs--Laboratory Investigation Under Reservoir Conditions*, (Tech. Paper SPE8999) SPEJ Dec., 82 831-846
- McCune, C.C. et al.:** *The Radial Movement of Permeability Fronts and Multiple Reaction Zones in Porous Media*, (Tech. Paper SPE9495) SPEJ Feb., 82 99-107
- McMillen, T.J. and Gerbacia, W.:** *Oil-Recovery Surfactant Formulation Development Using Surface Design Experiments*, (Tech. Paper SPE8878) SPEJ Apr., 82 237-244
- Mehra, R.K. et al.:** *Computation of Multiphase Equilibrium for Compositional Simulation*, (Tech. Paper SPE9232) SPEJ Feb., 82 61-68
- Mentzer, E. and Davison, P.:** *Polymer Flooding in North Sea Reservoirs*, (Tech. Paper SPE9300) SPEJ June, 82 353-362
- Metcalfe, R.S.:** *Effects of Impurities on Minimum Miscibility Pressures and Minimum Enrichment Levels for CO<sub>2</sub> and Rich-Gas Displacement*, (Tech. Paper SPE9230) SPEJ Apr., 82 219-225
- Miller, C.A. et al.:** *Phase Behavior Studies of Two Model Surfactant Systems*, (Tech. Paper SPE8984) SPEJ Feb., 82 53-60
- Miller, C.W. et al.:** *Wellbore Effects in the Analysis of Two-Phase Geothermal Well Tests*, (Tech. Paper SPE9922) SPEJ June, 82 309-320
- Miller, W.G. et al.:** *Vesicular Dispersion Delivery Systems and Surfactant Waterflooding*, (Tech. Paper SPE9349) SPEJ Feb., 82 37-52
- Millhone, R.S. et al.:** *An Improved Simulation for Interpreting Temperature Logs in Water Injection Wells*, (Tech. Paper SPE10081) SPEJ Oct., 82 709-718
- Miska, S. and Ziaja, M.B.:** *Mathematical Model of the Diamond-Bit Drilling Process and Its Practical Application*, (Tech. Paper SPE10148) SPEJ Dec., 82 911-922
- Mitchell, R.F.:** *Buckling Behavior of Well Tubing: The Packer Effect*, (Tech. Paper SPE9264) SPEJ Oct., 82 616-624

- Moller-Weare, N. et al.:** *Toward an Accurate and Efficient Chemical Model for Hydrothermal Brines*, (Tech. Paper SPE8993) SPEJ Oct., 82 699-708
- Monaco, S.B. et al.:** *Field Tests of Organic Additives for Scale Control at the Salton Sea Geothermal Field*, (Tech. Paper SPE9091) SPEJ Feb., 82 17-27
- Mousil, N.A. et al.:** *The Influence of Vertical Fractures Intercepting Active and Observation Wells on Interference Tests*, (Tech. Paper SPE9346) SPEJ Dec., 82 933-944
- Mukherjee, S. et al.:** *Phase Behavior Studies of Two Model Surfactant Systems*, (Tech. Paper SPE8984) SPEJ Feb., 82 53-60
- Murtada, H. and Marx, C.:** *Evaluation of the Low Tension Flood Process for High-Salinity Reservoirs--Laboratory Investigation Under Reservoir Conditions*, (Tech. Paper SPE8999) SPEJ Dec., 82 831-846

N

- Naess, A.:** *On the Residence Time of Oil Mixed Into the Water Column by Breaking Waves*, (Tech. Paper SPE10933) SPEJ Aug., 82 573-584
- Nakanishi, H. et al.:** *Experimental Study on the Effect of Axial Tension Load on the Collapse Strength of Oilwell Casing*, (Tech. Paper SPE11238) SPEJ Oct., 82 609-615
- Natoli, J. et al.:** *Phase Behavior Studies of Two Model Surfactant Systems*, (Tech. Paper SPE8984) SPEJ Feb., 82 53-60
- Nelson, R.C.:** *The Salinity-Requirement Diagram -- A Useful Tool in Chemical Flooding Research and Development*, (Tech. Paper SPE8824) SPEJ Apr., 82 259-270
- Nghiem, L.X.:** *Author's Reply to Discussion of Compositional Modeling With an Equation of State*, (Tech. Paper SPE10903) SPEJ Apr., 82 204
- Nighor, M.T. et al.:** *Restoration of Groundwater Quality Following Pilot-Scale Acidic In-Situ Uranium Leaching at Nine-Mile Lake Site Near Casper, Wyoming*, (Tech. Paper SPE9494) SPEJ June, 82 382-398
- Novosad, J.:** *Surfactant Retention in Berea Sandstone -- Effects of Phase Behavior and Temperature*, (Tech. Paper SPE10064) SPEJ Dec., 82 962-970

O

- O'Sullivan, M.J. et al.:** *Wellbore Effects in the Analysis of Two-Phase Geothermal Well Tests*, (Tech. Paper SPE9922) SPEJ June, 82 309-320
- Odeh, A.S. et al.:** *An In-Situ Combustion Process Simulator With a Moving-Front Representation*, (Tech. Paper SPE9450) SPEJ Apr., 82 271-279
- Okazawa, T. et al.:** *Experimental Study on the Effect of Axial Tension Load on the Collapse Strength of Oilwell Casing*, (Tech. Paper SPE11238) SPEJ Oct., 82 609-615
- Otto, C.H., Jr. et al.:** *Field Tests of Organic Additives for Scale Control at the Salton Sea Geothermal Field*, (Tech. Paper SPE9091) SPEJ Feb., 82 17-27
- Owens, W.W. and Schneider, F.N.:** *Steady-State Measurements of Relative Permeability for Polymer/Oil Systems*, (Tech. Paper SPE9408) SPEJ Feb., 82 79-86

P

- Pearson, C.F. and Albright, J.N.:** *Acoustic Emissions as a Tool for Hydraulic Fracture Location: Experience at the Fenton Hill Hot Dry Rock Site*, (Tech. Paper SPE9509) SPEJ Aug., 82 523-530
- Perez-Rosales, C.:** *On the Relationship Between Formation Resistivity Factor and Porosity*, (Tech. Paper SPE10546) SPEJ Aug., 82 531-536



## S

- Phillips, P.E. et al.: *Restoration of Groundwater Quality Following Pilot-Scale Acidic In-Situ Uranium Leaching at Nine-Mile Lake Site Near Casper, Wyoming*, (Tech. Paper SPE9494) SPEJ June, 82 382-398
- Pierce, A.C. et al.: *Discussion of Comparison of Sensitivity Coefficient Calculation Methods in Automatic History Matching*, (Tech. Paper SPE10873) SPEJ Apr., 82 205-208
- Pierce, A.C. et al.: *Gibbs Energy Analysis of Phase Equilibria*, (Tech. Paper SPE9806) SPEJ Oct., 82 731-742
- Pinkster, J.A.: *Mean- and Low-Frequency Wave Forces on Semisubmersibles*, (Tech. Paper SPE10941) SPEJ Aug., 82 563-572
- Pope, G.A. et al.: *The Effect of Several Polymers on the Phase Behavior of Micellar Fluids*, (Tech. Paper SPE8826) SPEJ Dec., 82 816-830
- Potter, R.M. et al.: *Interwell Tracer Analysis of a Hydraulically Fractured Granite Geothermal Reservoir*, (Tech. Paper SPE8270) SPEJ Aug., 82 537-554
- Prager, S. et al.: *Thermodynamic Modeling of Pseudoternary Phase Behavior*, (Tech. Paper SPE10062) SPEJ Dec., 82 945-961
- Pruess, K. et al.: *Wellbore Effects in the Analysis of Two-Phase Geothermal Well Tests*, (Tech. Paper SPE9922) SPEJ June, 82 309-320
- Pruess, K. et al.: *Model Studies of the Depletion of Two-Phase Geothermal Reservoirs*, (Tech. Paper SPE8266) SPEJ Apr., 82 280-290
- Puig, J.E. et al.: *Vesicular Dispersion Delivery Systems and Surfactant Waterflooding*, (Tech. Paper SPE9349) SPEJ Feb., 82 37-52

## Q

- Qutubuddin, S. et al.: *Phase Behavior Studies of Two Model Surfactant Systems*, (Tech. Paper SPE8984) SPEJ Feb., 82 53-60

## R

- Radke, C.J. and Bunge, A.L.: *Migration of Alkaline Pulses in Reservoir Sands*, (Tech. Paper SPE10288) SPEJ Dec., 82 998-1012
- Radke, C.J. et al.: *A Chemical Theory for Linear Alkaline Flooding*, (Tech. Paper SPE8997) SPEJ Apr., 82 245-258
- Raghavan, R. et al.: *The Influence of Vertical Fractures Intercepting Active and Observation Wells on Interference Tests*, (Tech. Paper SPE9346) SPEJ Dec., 82 933-944
- Ramey, H.J. Jr. et al.: *Non-Darcy Flow in Wells With Finite-Conductivity Vertical Fractures*, (Tech. Paper SPE8281) SPEJ Oct., 82 681-698
- Ramey, H.J. Jr. and Council, J.R.: *Effects of Vaporization and Temperature in Gas/Liquid Relative Permeability Experiments*, (Tech. Paper SPE9729) SPEJ Feb., 82 108-116
- Rawat, P.C. et al.: *Determination of Thermal Conductivity of Soils: A Need for Computing Heat Loss Through Buried Submarine Pipelines*, (Tech. Paper SPE8665) SPEJ Aug., 82 558-562
- Reid, K.I.G. et al.: *Xanthan Gum -- A Lyotropic, Liquid Crystalline Polymer and Its Properties as a Suspending Agent*, (Forum SPE9097) SPEJ Aug., 82 555-556
- Resio, D.T. and Vincent, C.L.: *A Comparison of Various Numerical Wave Prediction Techniques*, (Tech. Paper SPE8544) SPEJ Oct., 82 764-774
- Risnes, R. et al.: *Sand Stresses Around a Wellbore*, (Tech. Paper SPE9650) SPEJ Dec., 82 883-898
- Rossen, W.R. et al.: *Thermodynamic Modeling of Pseudoternary Phase Behavior*, (Tech. Paper SPE10062) SPEJ Dec., 82 945-961
- Rubin, E. et al.: *A Chemical Theory for Linear Alkaline Flooding*, (Tech. Paper SPE8997) SPEJ Apr., 82 245-258
- Ruzyla, K. and Friedman, G.M.: *Geological Heterogeneities Important to Future Enhanced Recovery in Carbonate Reservoirs of Upper Ordovician Red River Formation at Cabin Creek Field, Montana*, (Tech. Paper SPE9802) SPEJ June, 82 429-444

- Sabins, F.L. et al.: *Transition Time of Cement Slurries Between the Fluid and Set State*, (Tech. Paper SPE9285) SPEJ Dec., 82 875-882
- Salamone, A.B. et al.: *Xanthan Gum -- A Lyotropic, Liquid Crystalline Polymer and Its Properties as a Suspending Agent*, (Forum SPE9097) SPEJ Aug., 82 555-556
- Salamone, J.C. et al.: *Xanthan Gum -- A Lyotropic, Liquid Crystalline Polymer and Its Properties as a Suspending Agent*, (Forum SPE9097) SPEJ Aug., 82 555-556
- Samaniego-V., F. et al.: *Non-Darcy Flow in Wells With Finite-Conductivity Vertical Fractures*, (Tech. Paper SPE8281) SPEJ Oct., 82 681-698
- Samaniego-V., F. et al.: *The Influence of Vertical Fractures Intercepting Active and Observation Wells on Interference Tests*, (Tech. Paper SPE9346) SPEJ Dec., 82 933-944
- Schechter, R.S. et al.: *Criteria for Structuring Surfactants To Maximize Solubilization of Oil and Water: Part 1 -- Commercial Non-ionics*, (Tech. Paper SPE9815) SPEJ Oct., 82 743-749
- Schechter, R.S. and Bommer, P.M.: *Optimization of Uranium Leach Mining*, (Tech. Paper SPE9488) SPEJ Feb., 82 132-140
- Schechter, R.S. et al.: *The Effect of Several Polymers on the Phase Behavior of Micellar Fluids*, (Tech. Paper SPE8826) SPEJ Dec., 82 816-830
- Schechter, R.S. et al.: *Evaluation of the One-Well Uranium Leaching Test: Restoration*, (Tech. Paper SPE9486) SPEJ Feb., 82 141-150
- Schechter, R.S. et al.: *The Topology of Phase Boundaries for Oil/Brine/Surfactant Systems and Its Relationship to Oil Recovery*, (Tech. Paper SPE9352) SPEJ Feb., 82 28-36
- Schmidt, R.A. et al.: *Laboratory Investigation on the Effect of In-Situ Stresses on Hydraulic Fracture Containment*, (Tech. Paper SPE9834) SPEJ June, 82 333-340
- Schneider, F.N. and Owens, W.W.: *Steady-State Measurements of Relative Permeability for Polymer/Oil Systems*, (Tech. Paper SPE9408) SPEJ Feb., 82 79-86
- Schroeder, R.C. et al.: *Model Studies of the Depletion of Two-Phase Geothermal Reservoirs*, (Tech. Paper SPE8266) SPEJ Apr., 82 280-290
- Scriven, L.E. et al.: *Vesicular Dispersion Delivery Systems and Surfactant Waterflooding*, (Tech. Paper SPE9349) SPEJ Feb., 82 37-52
- Scriven, L.E. et al.: *Thermodynamic Modeling of Pseudoternary Phase Behavior*, (Tech. Paper SPE10062) SPEJ Dec., 82 945-961
- Serra, O. and Abbott, H. T.: *The Contribution of Logging Data to Sedimentology and Stratigraphy*, (Tech. Paper SPE9270) SPEJ Feb., 82 117-131
- Shaffer, R.J. et al.: *Some Effects of Stress, Friction, and Fluid Flow on Hydraulic Fracturing*, (Tech. Paper SPE9831) SPEJ June, 82 321-332
- Shah, S.N.: *Proppant Settling Correlations for Non-Newtonian Fluids Under Static and Dynamic Conditions*, (Tech. Paper SPE9330) SPEJ Apr., 82 164-170
- Stahl, C.D. et al.: *Competing Roles of Interfacial Tension and Surfactant Equivalent Weight in the Development of a Chemical Flood*, (Tech. Paper SPE8898) SPEJ Aug., 82 472-480
- Strom, E.T. et al.: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 2--Laboratory Study of a Mild Leaching System*, (Tech. Paper SPE10231) SPEJ Dec., 82 1013-1022
- Sutton, D.L. et al.: *Transition Time of Cement Slurries Between the Fluid and Set State*, (Tech. Paper SPE9285) SPEJ Dec., 82 875-882
- Swift, R.P. and Kusubov, A.S.: *Multiple Fracturing of Boreholes by Using Tailored-Pulse Loading*, (Tech. Paper SPE9892) SPEJ Dec., 82 923-932
- Sydansk, R.D.: *Author's Reply to Discussion of Elevated-Temperature Caustic/Sandstone Interaction: Implications for Improving Oil Recovery*, (Tech. Paper SPE11548) SPEJ Dec., 82 910
- Sydansk, R.D.: *Elevated-Temperature Caustic/Sandstone Interaction: Implications for Improving Oil Recovery*, (Tech. Paper SPE9810) SPEJ Aug., 82 453-462

T

- Taber, J.J. et al.:** *Characterization and Oil Recovery Observations on a Series of Synthetic Petroleum Sulfonates*, (Tech. Paper SPE8323) SPEJ Apr., 82 226-236
- Talmon, Y. et al.:** *Vesicular Dispersion Delivery Systems and Surfactant Waterflooding*, (Tech. Paper SPE9349) SPEJ Feb., 82 37-52
- Terry, R.E. et al.:** *The Effect of Temperature on Gelation Time for Polyacrylamide/Chromium (III) System*, (Tech. Paper SPE10059) SPEJ Aug., 82 463-471
- Tester, J.W. et al.:** *Interwell Tracer Analysis of a Hydraulically Fractured Granite Geothermal Reservoir*, (Tech. Paper SPE8270) SPEJ Aug., 82 537-554
- Thomas, D.C.:** *Thermal Stability of Starch- and Carboxymethyl Cellulose-Based Polymers Used in Drilling Fluids*, (Tech. Paper SPE8463) SPEJ Apr., 82 171-180
- Thorson, L.D. et al.:** *Some Effects of Stress, Friction, and Fluid Flow on Hydraulic Fracturing*, (Tech. Paper SPE9831) SPEJ June, 82 321-332
- Tinsley, J.M. et al.:** *Transition Time of Cement Slurries Between the Fluid and Set State*, (Tech. Paper SPE9285) SPEJ Dec., 82 875-882
- Toda, Y. et al.:** *Fatigue Behavior of Large-Diameter Wire Ropes*, (Tech. Paper SPE10905) SPEJ June, 82 420-428
- Tokimasa, K. et al.:** *Experimental Study on the Effect of Axial Tension Load on the Collapse Strength of Oilwell Casing*, (Tech. Paper SPE1238) SPEJ Oct., 82 609-615
- Tsaur, K. et al.:** *The Effect of Several Polymers on the Phase Behavior of Micellar Fluids*, (Tech. Paper SPE8826) SPEJ Dec., 82 816-830
- Tweeton, D.R. et al.:** *Restoration of Groundwater Quality Following Pilot-Scale Acidic In-Situ Uranium Leaching at Nine-Mile Lake Site Near Casper, Wyoming*, (Tech. Paper SPE9494) SPEJ June, 82 382-398

V

- van Eekelen, H.A.M.:** *Hydraulic Fracture Geometry: Fracture Containment in Layered Formations*, (Tech. Paper SPE9261) SPEJ June, 82 341-349
- Van Egmond, C.F. and Lease, W.O.:** *An Oscillating Backpressure Regulator for Low Flow Rate, High-Pressure Coreflooding Experiments*, (Tech. Paper SPE9964) SPEJ Dec., 82 899-901
- Venkatappa Rao, G. et al.:** *Determination of Thermal Conductivity of Soils: A Need for Computing Heat Loss Through Buried Submarine Pipelines*, (Tech. Paper SPE8665) SPEJ Aug., 82 558-562
- Venuto, P.B. et al.:** *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 2--Laboratory Study of a Mild Leaching System*, (Tech. Paper SPE10231) SPEJ Dec., 82 1013-1022
- Vincent, C.L. and Resio, D.T.:** *A Comparison of Various Numerical Wave Prediction Techniques*, (Tech. Paper SPE8544) SPEJ Oct., 82 764-774
- Vinsome, P.K.W. and Behie, A.:** *Block Iterative Methods for Fully Implicit Reservoir Simulation*, (Tech. Paper SPE9303) SPEJ Oct., 82 658-668
- Vislocky, J.M. et al.:** *A Chemical Theory for Linear Alkaline Flooding*, (Tech. Paper SPE8997) SPEJ Apr., 82 245-258
- Vogt, T.C. et al.:** *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 2--Laboratory Study of a Mild Leaching System*, (Tech. Paper SPE10231) SPEJ Dec., 82 1013-1022
- Vossoughi, S. et al.:** *Automation of an In-Situ Combustion Tube and Study of the Effect of Clay on the In-Situ Combustion Process*, (Tech. Paper SPE10320) SPEJ Aug., 82 493-502

W

- Wade, W.H. et al.:** *Criteria for Structuring Surfactants To Maximize Solubilization of Oil and Water: Part 1 -- Commercial Nonionics*, (Tech. Paper SPE9815) SPEJ Oct., 82 743-749

- Wade, W.H. et al.:** *The Topology of Phase Boundaries for Oil/Brine/Surfactant Systems and Its Relationship to Oil Recovery*, (Tech. Paper SPE9352) SPEJ Feb., 82 28-36
- Walls, J. and Bourbie, T.:** *Pulse Decay Permeability: Analytical Solution and Experimental Test*, (Tech. Paper SPE9744) SPEJ Oct., 82 719-721
- Wang, B. et al.:** *The Effect of Several Polymers on the Phase Behavior of Micellar Fluids*, (Tech. Paper SPE8826) SPEJ Dec., 82 816-830
- Ward, B.M. et al.:** *Scanning Electron Microscopy and Core Analysis for Mini CO<sub>2</sub> Flooding Operations in the Hospah Formation of the Miguel Field in McKinley County, New Mexico*, (Tech. Paper SPE10302) SPEJ Dec., 82 797-804
- Ward, J.S. et al.:** *Characterization and Oil Recovery Observations on a Series of Synthetic Petroleum Sulfonates*, (Tech. Paper SPE8323) SPEJ Apr., 82 226-236
- Warplinski, N.R. et al.:** *Laboratory Investigation on the Effect of In-Situ Stresses on Hydraulic Fracture Containment*, (Tech. Paper SPE9834) SPEJ June, 82 333-340
- Weare, J.H. et al.:** *Toward an Accurate and Efficient Chemical Model for Hydrothermal Brines*, (Tech. Paper SPE8993) SPEJ Oct., 82 699-708
- Weres, O. et al.:** *Equations and Type Curves for Predicting the Polymerization of Amorphous Silica in Geothermal Brines*, (Tech. Paper SPE9682) SPEJ Feb., 82 9-16
- Willhite, G.P. et al.:** *Automation of an In-Situ Combustion Tube and Study of the Effect of Clay on the In-Situ Combustion Process*, (Tech. Paper SPE10320) SPEJ Aug., 82 493-502
- Willhite, G.P. et al.:** *The Effect of Temperature on Gelation Time for Polyacrylamide/Chromium (III) System*, (Tech. Paper SPE10059) SPEJ Aug., 82 463-471
- Witherspoon, P.A. et al.:** *Model Studies of the Depletion of Two-Phase Geothermal Reservoirs*, (Tech. Paper SPE8266) SPEJ Apr., 82 280-290
- Wood, D.M. et al.:** *The Geometry of a Large-Scale Nitrogen Gas Hydraulic Fracture Formed in Devonian Shale: An Example of Fracture Mapping With Tiltmeter*, (Tech. Paper SPE8933) SPEJ Oct., 82 755-763

Y

- Yee, A. et al.:** *Equations and Type Curves for Predicting the Polymerization of Amorphous Silica in Geothermal Brines*, (Tech. Paper SPE9682) SPEJ Feb., 82 9-16
- Yellig, W.F.:** *Carbon Dioxide Displacement of a West Texas Reservoir Oil*, (Tech. Paper SPE9785) SPEJ Dec., 82 805-815
- Yiv, S. et al.:** *Criteria for Structuring Surfactants To Maximize Solubilization of Oil and Water: Part 1 -- Commercial Nonionics*, (Tech. Paper SPE9815) SPEJ Oct., 82 743-749
- Yokota, H. et al.:** *Fatigue Behavior of Large-Diameter Wire Ropes*, (Tech. Paper SPE10905) SPEJ June, 82 420-428
- Yokoyama, K. et al.:** *Fatigue Behavior of Large-Diameter Wire Ropes*, (Tech. Paper SPE10905) SPEJ June, 82 420-428
- Yortsos, Y.C.:** *Author's Reply to Discussion of Analytical Modeling of Oil Recovery by Steam Injection: Part 2 -- Asymptotic and Approximate Solutions*, (Tech. Paper SPE10951) SPEJ Aug., 82 557
- Yortsos, Y.C.:** *Discussion of the Radial Movement of Permeability Fronts and Multiple Reaction Zones in Porous Media*, (Tech. Paper SPE11284) SPEJ Dec., 82 903-905

Z

- Ziaja, M.B. and Miska, S.:** *Mathematical Model of the Diamond-Bit Drilling Process and Its Practical Application*, (Tech. Paper SPE10148) SPEJ Dec., 82 911-922
- Ziegler, V.M. et al.:** *Authors' Reply to Discussion of Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE11597) SPEJ Dec., 82 909
- Ziegler, V.M. et al.:** *Thermal Stability of Surfactants for Reservoir Application*, (Tech. Paper SPE7867) SPEJ Oct., 82 722-730

# Subject Index

## A

### Acidizing

- Linear sandstone cores: radial movement of permeability fronts and multiple reaction zones, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107
- Linear sandstone cores: radial movement of permeability fronts; and multiple reaction zones; authors reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905
- Linear sandstone cores: radial movement of permeability fronts; and multiple reaction zones; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905

### Acoustics

- Emissions: tool for hydraulic fracture location; experience at Fenton Hill hot dry rock site, (Tech. Paper SPE 9509) SPEJ Aug. 82, 523-530

### Additives

- Alkaline: effect on IFT, surfactant adsorption and recovery efficiency; surfactant flooding, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513
- Alkaline: effect on permeability and sweep efficiency; surfactant flooding, (Tech. Paper SPE 9811) SPEJ Dec. 82, 983-992
- Organic: for scale control at Salton Sea geothermal field; field tests, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27
- Polymer: effect on phase behavior of micellar fluids, (Tech. Paper SPE 8826) SPEJ Dec. 82, 816-830
- Steam: surfactants; thermal stability for reservoir application, (Tech. Paper SPE 7867) SPEJ Oct. 82, 722-730
- Steam: surfactants; thermal stability for reservoir application; author's reply to discussion of, (Rebuttal SPE 11597) SPEJ Dec. 82, 909
- Steam: surfactants; thermal stability for reservoir application; discussion of, (Discussion SPE 11323) SPEJ Dec. 82, 905-908

### Adsorption

- Of surfactant at solid-liquid interface: surfactant retention in Berea sandstone; effects of phase behavior and temperature, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970
- Surfactant: effect of alkaline additives; surfactant flooding, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513
- Surfactants: waterflooding and vesicular dispersion delivery systems, (Tech. Paper SPE 9349) SPEJ Feb. 82, 37-52

### Alcohol

- Phase relationships involving hydrocarbons and water: effect of hydrotropic salts, (Tech. Paper SPE 8987) SPEJ Jun. 82, 363-370

### Algorithm

- Automatic history matching: comparison of sensitivity coefficient calculation methods; discussion of, (Discussion SPE 10873) SPEJ Apr. 82, 205-208

### Alkaline Flooding

- Effect of additives on permeability and sweep efficiency: surfactant flooding, (Tech. Paper SPE 9811) SPEJ Dec. 82, 983-992
- Elevated-temperature caustic/sandstone interaction: implications for improving oil recovery, (Tech. Paper SPE 9810) SPEJ Aug. 82, 453-462
- Elevated-temperature caustic/sandstone interaction: implications for improving oil recovery; author's reply to discussion of, (Rebuttal SPE 11548) SPEJ Dec. 82, 910
- Elevated-temperature caustic/sandstone interaction: implications for improving oil recovery; discussion of, (Discussion SPE 11348) SPEJ Dec. 82, 910
- Linear: chemical theory, (Tech. Paper SPE 8997) SPEJ Apr. 82, 245-258

## Automation

- Of in-situ combustion tube: study of effect of clay on in-situ combustion process, (Tech. Paper SPE 10320) SPEJ Aug. 82, 493-502

## Axial Load

- Tension: effect on collapse strength of oilwell casing; experimental study, (Tech. Paper SPE 11238) SPEJ Oct. 82, 609-615

## B

### Bits

- Diamond: core-bit drilling process; mathematical model and its practical application, (Tech. Paper SPE 10148) SPEJ Dec. 82, 911-922

### Boreholes

- Multiple fracturing of: using tailored-pulse loading, (Tech. Paper SPE 9892) SPEJ Dec. 82, 923-932

### Boundary Conditions

- Oil/brine/surfactant systems: topology of; relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

### Bridging

- Of particles: transport through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865

### Brines

- Hydrothermal: accurate and efficient chemical model for, (Tech. Paper SPE 8993) SPEJ Oct. 82, 699-708
- Oil and surfactant systems: topology of phase boundaries; relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

### Buckling

- Behavior of well tubing: packer effect, (Tech. Paper SPE 9264) SPEJ Oct. 82, 616-624

## C

### Cabin Creek Field

- See Montana, (Tech. Paper SPE 9802) SPEJ Jun. 82, 429-444

### California

- Crude oil: oil-recovery surfactant formulation: development using surface design experiments, (Tech. Paper SPE 8878) SPEJ Apr. 82, 237-244
- Salton Sea: geothermal field; field tests of organic additives for scale control, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27
- South Belridge field: in-situ combustion process simulator; moving-front representation, (Tech. Paper SPE 9450) SPEJ Apr. 82, 271-279

### Canada

- CO<sub>2</sub> and rich-gas displacements: effects of impurities on minimum miscibility pressures and minimum enrichment levels, (Tech. Paper SPE 9230) SPEJ Apr. 82, 219-225

### Carbon Dioxide

- Mini flooding operations: Hospah formation: Miguel Creek field, New Mexico; scanning electron microscopy and core analysis, (Tech. Paper SPE 10302) SPEJ Dec. 82, 797-804
- And rich-gas displacements: effects of impurities on minimum miscibility pressures and minimum enrichment levels, (Tech. Paper SPE 9230) SPEJ Apr. 82, 219-225
- Crude oil coreflooding experiments: oscillating back-pressure regulator for low flow rate and high pressure, (Tech. Paper SPE 9964) SPEJ Dec. 82, 899-901

## Carbonate Reservoirs—Crownpoint Area, See New Mexico

- Displacement of a West Texas reservoir oil, (Tech. Paper SPE 9785) SPEJ Dec. 82, 805-815
- Flooding: effect of oil composition on miscible-type displacement, (Tech. Paper SPE 8814) SPEJ Feb. 82, 87-98
- Injection: compositional modeling with an equation of state; author's reply to discussion of, (Rebuttal SPE 10903) SPEJ Apr. 82, 204
- Injection: compositional modeling with an equation of state; discussion of, (Discussion SPE 10894) SPEJ Apr. 82, 202-203
- Carbonate Reservoirs**
- Simulation of miscible displacement: full-diameter cores, (Tech. Paper SPE 9233) SPEJ Oct. 82, 647-657
- Upper Ordovician Red River formation: Cabin Creek field, Montana; geological heterogeneities important to future enhanced recovery, (Tech. Paper SPE 9802) SPEJ Jun. 82, 429-444
- Casing**
- Oilwell: collapse strength; experimental study on effect of axial tension load, (Tech. Paper SPE 11238) SPEJ Oct. 82, 609-615
- Caustic**
- Flooding: elevated-temperature caustic/sandstone interaction: implications for improving oil recovery, (Tech. Paper SPE 9810) SPEJ Aug. 82, 453-462
- Flooding: elevated-temperature caustic/sandstone interaction: implications for improving oil recovery; author's reply to discussion of, (Rebuttal SPE 11548) SPEJ Dec. 82, 910
- Flooding: elevated-temperature caustic/sandstone interaction: implications for improving oil recovery; discussion of, (Discussion SPE 11348) SPEJ Dec. 82, 910
- Cementation**
- Exponent: relationship between formation resistivity factor and porosity, (Tech. Paper SPE 10546) SPEJ Aug. 82, 531-536
- Cements**
- Slurries: transition time between fluid and set state, (Tech. Paper SPE 9285) SPEJ Dec. 82, 875-882
- Characterization**
- Observations: on series of synthetic petroleum sulfonates, (Tech. Paper SPE 8323) SPEJ Apr. 82, 226-236
- Chemical Flooding**
- Overall surfactant concentration: interpretation of change in optimal concentration, (Tech. Paper SPE 10063) SPEJ Dec. 82, 971-982
- Pseudoternary phase behavior: thermodynamic modeling, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961
- Salinity-requirement diagram: a useful tool in research and development, (Tech. Paper SPE 8824) SPEJ Apr. 82, 259-270
- Chemicals**
- Theory: linear alkaline flooding, (Tech. Paper SPE 8997) SPEJ Apr. 82, 245-258
- Chemistry**
- Of amorphous silica polymerization: in geothermal brines; equations and type curves for predicting, (Tech. Paper SPE 9682) SPEJ Feb. 82, 9-16
- Starch and carboxymethyl cellulose: thermal stability; polymers used in drilling fluids, (Tech. Paper SPE 8463) SPEJ Apr. 82, 171-180
- Chromatographic Transport**
- Of alkaline pulses in reservoir sands, (Tech. Paper SPE 10288) SPEJ Dec. 82, 998-1012
- Clays**
- Effect on in-situ combustion process: automation of in-situ combustion tube, (Tech. Paper SPE 10320) SPEJ Aug. 82, 493-502
- Ion exchange in the presence of surfactant, (Tech. Paper SPE 9279) SPEJ Apr. 82, 181-192
- Coefficients**
- Sensitivity: comparison of calculation methods in automatic history matching; discussion of, (Discussion SPE 10873) SPEJ Apr. 82, 205-208
- Collapse Strength**
- Of oilwell casing: experimental study on effect of axial tension load on collapse strength, (Tech. Paper SPE 11238) SPEJ Oct. 82, 609-615
- Combustion Method of Oil Recovery**
- In-situ process simulator: moving-front representation, (Tech. Paper SPE 9450) SPEJ Apr. 82, 271-279
- Composition**
- Oil: effect on miscible-type displacement by carbon dioxide, (Tech. Paper SPE 8814) SPEJ Feb. 82, 87-98
- Computers**
- Automation of an in-situ combustion tube: study of effect of clay on in-situ combustion process, (Tech. Paper SPE 10320) SPEJ Aug. 82, 493-502
- Examples: of numerical simulation; miscible and immiscible fluid flows in porous media, (Tech. Paper SPE 9767) SPEJ Oct. 82, 635-646
- Minimizing computer cost for simulation: 1/8 five-/nine-spot patterns, (Forum SPE 10915) SPEJ Dec. 82, 902
- Program; for testing non-Darcy flow in wells; finite conductivity vertical fractures, (Tech. Paper SPE 8281) SPEJ Oct. 82, 681-698
- Programs: for fully implicit reservoir simulation; block iterative methods, (Tech. Paper SPE 9303) SPEJ Oct. 82, 658-668
- Concentration**
- Critical electrolyte: effect of several polymers on the phase behavior of micellar fluids, (Tech. Paper SPE 8826) SPEJ Dec. 82, 816-830
- Overall surfactant: interpretation of change in optimal salinity, (Tech. Paper SPE 10063) SPEJ Dec. 82, 971-982
- Conductivity**
- Finite: vertical fractures; non-Darcy flow in wells with, (Tech. Paper SPE 8281) SPEJ Oct. 82, 681-698
- Containment**
- Fracture: hydraulic fracture geometry in layered formations, (Tech. Paper SPE 9261) SPEJ Jun. 82, 341-349
- Hydraulic fracture: laboratory investigation; effect of in-situ stress, (Tech. Paper SPE 9834) SPEJ Jun. 82, 333-340
- Controls**
- Scale: organic additives; field tests at Salton Sea geothermal field, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27
- Core Analysis**
- And electron microscopy: for mini CO<sub>2</sub> flooding operations; Hospah formation, Miguel Creek field, New Mexico, (Tech. Paper SPE 10302) SPEJ Dec. 82, 797-804
- Gas/liquid relative permeability experiments: effects of vaporization and temperature, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116
- Improved summation-of-fluids porosity technique, (Tech. Paper SPE 9376) SPEJ Apr. 82, 193-201
- Cores**
- Carbonate: full-diameter; simulation of miscible displacement in, (Tech. Paper SPE 9233) SPEJ Oct. 82, 647-657
- Flooding experiments: low flow rates and high pressure; oscillating back-pressure regulator for, (Tech. Paper SPE 9964) SPEJ Dec. 82, 899-901
- Steady-state measurements of relative permeability: polymer/oil systems, (Tech. Paper SPE 9408) SPEJ Feb. 82, 79-86
- Correlations**
- Minimum miscibility pressure with API gravity, MW or extractable hydrocarbon content: miscible-type displacement by carbon dioxide; effect of oil composition, (Tech. Paper SPE 8814) SPEJ Feb. 82, 87-98
- Proppant settling: non-Newtonian fluids; static and dynamic conditions, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170
- Corrosion**
- Of clad and unclad thick-wall structures: fatigue analysis of, (Tech. Paper SPE 10853) SPEJ Feb. 82, 151-156
- Crownpoint Area, See New Mexico**
- See New Mexico, (Tech. Paper SPE 10231) SPEJ Dec. 82, 1013-1022



**Crude Oils**

CO<sub>2</sub> coreflooding experiments: oscillating back-pressure regulator for low flow rate and high pressure, (Tech. Paper SPE 9964) SPEJ Dec. 82, 899-901

Interfacial tensions between surfactant solutions: use of perspective plots to aid in determining factors affecting, (Forum SPE 9969) SPEJ Jun. 82, 350-352

Transporting through buried submarine pipelines: need for computing heat loss; determination of thermal conductivity of soils, (Tech. Paper SPE 8665) SPEJ Aug. 82, 558-562

**Currents**

Electric: influence of adjacent conductive formations on the selective reservoir heating process, (Tech. Paper SPE 9082) SPEJ Oct. 82, 750-754

**D****Data**

Logging: contribution to sedimentology and stratigraphy, (Tech. Paper SPE 9270) SPEJ Feb. 82, 117-131

**Degradation**

For controlling numerical dispersion: variably timed flux updating in one dimension, (Tech. Paper SPE 8027) SPEJ Jun. 82, 399-408

**Depletion**

Of two-phase geothermal reservoirs: model studies, (Tech. Paper SPE 8266) SPEJ Apr. 82, 280-290

**Deposition**

Of fine particles: in porous media, (Tech. Paper SPE 8430) SPEJ Dec. 82, 847-856

**Design**

Of cement slurries to prevent gas flow: transition time between fluid and set state controls entry, (Tech. Paper SPE 9285) SPEJ Dec. 82, 875-882

Of oilwell casing: experimental study on effect of axial tension load on collapse strength, (Tech. Paper SPE 11238) SPEJ Oct. 82, 609-615

Surface experiments: oil-recovery surfactant formulation development, (Tech. Paper SPE 8878) SPEJ Apr. 82, 237-244

Well pattern: uranium leach mining: optimization of, (Tech. Paper SPE 9488) SPEJ Feb. 82, 132-140

**Developments**

Analytical solution and experimental test: pulse decay permeability, (Tech. Paper SPE 9744) SPEJ Oct. 82, 719-721

Chemical development: salinity-requirement diagram a useful tool, (Tech. Paper SPE 8824) SPEJ Apr. 82, 259-270

Chemical flood: competing roles of interfacial tension and surfactant equivalent weight, (Tech. Paper SPE 8898) SPEJ Aug. 82, 472-480

Of accurate and efficient chemical model for hydrothermal brines, (Tech. Paper SPE 8993) SPEJ Oct. 82, 699-708

Oil-recovery surfactant formulation: surface design experiments, (Tech. Paper SPE 8878) SPEJ Apr. 82, 237-244

**Diamond**

Core-bit drilling process: mathematical model and its practical application, (Tech. Paper SPE 10148) SPEJ Dec. 82, 911-922

**Dispersion**

Coefficient: in full-diameter carbonate cores; simulation of miscible displacement, (Tech. Paper SPE 9233) SPEJ Oct. 82, 647-657

Delivery systems: vesicular form; and surfactant waterflooding, (Tech. Paper SPE 9349) SPEJ Feb. 82, 37-52

Interwell tracer analyses: hydraulically fractured granite geothermal reservoir, (Tech. Paper SPE 8270) SPEJ Aug. 82, 537-554

Mixing effect: on micellar system; Sloss field, Nebraska, (Tech. Paper SPE 9782) SPEJ Aug. 82, 481-492

Numerical: controlling by variably timed flux updating in one dimension, (Tech. Paper SPE 8027) SPEJ Jun. 82, 399-408

Numerical: controlling by variably timed flux updating in two dimensions, (Tech. Paper SPE 9374) SPEJ Jun. 82, 409-419

Oil mixed into water column by breaking waves: residence time of, (Tech. Paper SPE 10933) SPEJ Aug. 82, 573-584

**Displacement**

Piston-like: of water by steam and nitrogen: stability in porous media, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634

**Displacement Mechanism**

Miscible type: by carbon dioxide; effect of oil composition, (Tech. Paper SPE 8814) SPEJ Feb. 82, 87-98

**Dolomite**

Reservoir rock: Upper Ordovician Red River formation, Cabin Creek field, Montana; geological heterogeneities important to future enhanced recovery, (Tech. Paper SPE 9802) SPEJ Jun. 82, 429-444

**Drilling**

Diamond: core-bit process: mathematical model and its practical application, (Tech. Paper SPE 10148) SPEJ Dec. 82, 911-922

Montmorillonite swelling: comparison of inhibitory actions of KCl and guanidine hydrochloride solutions, (Tech. Paper SPE 9092) SPEJ Aug. 82, 514-522

**Drilling Fluids**

Suspending agent: Xanthan gum; lyotropic, liquid crystalline polymer, (Forum SPE 9097) SPEJ Aug. 82, 555-556

Use of starch- and carboxymethyl cellulose-based polymers: thermal stability, (Tech. Paper SPE 8463) SPEJ Apr. 82, 171-180

**Dynamics**

Conditions: proppant settling correlations for non-Newtonian fluids, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170

**E****Economics**

Of chemical flooding: thermodynamic modeling of pseudoternary phase behavior, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961

**Efficiency**

Of particle transport through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865

Recovery: effect of alkaline additives; surfactant flooding, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513

**Electrofacies**

Contribution of logging data to sedimentology and stratigraphy, (Tech. Paper SPE 9270) SPEJ Feb. 82, 117-131

**Emissions**

Acoustic: tool for hydraulic fracture location; experience at Fenton Hill hot dry rock site, (Tech. Paper SPE 9509) SPEJ Aug. 82, 523-530

**Energy**

Gibbs: analysis of phase equilibrium, (Tech. Paper SPE 9806) SPEJ Oct. 82, 731-742

**Enhanced Recovery**

By CO<sub>2</sub> displacement of reservoir oil: Levelland field, Texas, (Tech. Paper SPE 9785) SPEJ Dec. 82, 805-815

CO<sub>2</sub> and rich-gas displacements: effects of impurities on minimum miscibility pressures and minimum enrichment levels, (Tech. Paper SPE 9230) SPEJ Apr. 82, 219-225

Controlling numerical dispersion: by variably timed flux updating in one dimension, (Tech. Paper SPE 8027) SPEJ Jun. 82, 399-408

Controlling numerical dispersion: by variably timed flux updating in two dimensions, (Tech. Paper SPE 9374) SPEJ Jun. 82, 409-419

In carbonate reservoirs: importance of geological heterogeneities; Upper Ordovician Red River formation, Cabin Creek field, Montana, (Tech. Paper SPE 9802) SPEJ Jun. 82, 429-444

Ion exchange with clays in presence of surfactant, (Tech. Paper SPE 9279) SPEJ Apr. 82, 181-192

## Equations of State-Forces

Linear alkaline flooding: chemical theory, (Tech. Paper SPE 8997) SPEJ Apr. 82, 245-258

Low tension flood process: evaluation for high-salinity reservoir; laboratory study under reservoir conditions, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846

Miscible-type displacement by carbon dioxide: effect of oil composition, (Tech. Paper SPE 8814) SPEJ Feb. 82, 87-98

Multiple fracturing of boreholes: use of tailored-pulse loading, (Tech. Paper SPE 9892) SPEJ Dec. 82, 923-932

Piston-like displacement of water by steam and nitrogen; stability in porous media, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634

Polymer flooding: North Sea reservoirs, (Tech. Paper SPE 9300) SPEJ Jun. 82, 353-362

Polymer floods: gelation time for polyacrylamide/chromium (III) systems, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471

Selective electric reservoir heating process: influence of adjacent conductive formations, (Tech. Paper SPE 9082) SPEJ Oct. 82, 750-754

Surfactant flooding: interfacial tensions between surfactant solutions and crude oil: use of perspective plots to aid in determining factors affecting, (Forum SPE 9969) SPEJ Jun. 82, 350-352

Surfactant flooding: retention of surfactant in Berea sandstone; effect of phase behavior and temperature, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970

Surfactant waterflooding: vesicular dispersion delivery systems, (Tech. Paper SPE 9349) SPEJ Feb. 82, 37-52

## Equations of State

Compositional modeling with: author's reply to discussion of, (Rebuttal SPE 10903) SPEJ Apr. 82, 204

Compositional modeling with: discussion of, (Discussion SPE 10894) SPEJ Apr. 82, 202-203

Gibbs energy analysis of phase equilibria, (Tech. Paper SPE 9806) SPEJ Oct. 82, 731-742

## Equilibrium

Chemical: model for hydrothermal brines; accurate and efficient model, (Tech. Paper SPE 8993) SPEJ Oct. 82, 699-708

Fluid phase behavior: Gibbs energy analysis, (Tech. Paper SPE 9806) SPEJ Oct. 82, 731-742

Multiphase: computation of; for compositional simulation, (Tech. Paper SPE 9232) SPEJ Feb. 82, 61-68

## Equipment

Bits: polycrystalline diamond compact; applications from analysis of carbide insert and steel tooth bit performance, (Tech. Paper SPE 9303) SPEJ Oct. 82, 658-668

Buried submarine pipelines: need for computing heat loss through; determination of thermal conductivity of soils, (Tech. Paper SPE 8665) SPEJ Aug. 82, 558-562

Clad and unclad thick-wall structures: fatigue analysis of, (Tech. Paper SPE 10853) SPEJ Feb. 82, 151-156

Oscillating backpressure regulator: low flow rate, high-pressure core flooding experiments, (Tech. Paper SPE 9964) SPEJ Dec. 82, 899-901

Platforms: structural repair experiences; Viking gas field, (Tech. Paper SPE 10942) SPEJ Aug. 82, 585-593

Tubing: dual flow assembly installations; movement, forces, and stresses, (Tech. Paper SPE 9265) SPEJ Dec. 82, 866-874

## Equivalent Weight

Surfactant: competing roles with interfacial tension in development of a chemical flood, (Tech. Paper SPE 8898) SPEJ Aug. 82, 472-480

## Evaluations

Fatigue of clad and unclad thick-wall structures, (Tech. Paper SPE 10853) SPEJ Feb. 82, 151-156

Of low-tension flood process: high-salinity reservoirs; laboratory investigation under reservoir conditions, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846

One-well uranium leaching test: restoration, (Tech. Paper SPE 9486) SPEJ Feb. 82, 141-150

Sedimentology and stratigraphy: contribution of logging data, (Tech. Paper SPE 9270) SPEJ Feb. 82, 117-131

Thermal stability of surfactants for reservoir application, (Tech. Paper SPE 7867) SPEJ Oct. 82, 722-730

Thermal stability of surfactants for reservoir application: author's reply to discussion of, (Rebuttal SPE 11597) SPEJ Dec. 82, 909

Thermal stability of surfactants for reservoir application: discussion of, (Discussion SPE 11323) SPEJ Dec. 82, 905-908

## F

### Fatigue

Analysis: clad and unclad thick-wall structures, (Tech. Paper SPE 10853) SPEJ Feb. 82, 151-156

Behavior: of large-diameter wire ropes, (Tech. Paper SPE 10905) SPEJ Jun. 82, 420-428

### Fenton Hill Site, See New Mexico

See New Mexico, (Tech. Paper SPE 9509) SPEJ Aug. 82, 523-530

See New Mexico, (Tech. Paper SPE 8270) SPEJ Aug. 82, 537-554

### Field Tests

Hydraulically fractured granite geothermal reservoir: interwell tracer analyses, (Tech. Paper SPE 8270) SPEJ Aug. 82, 537-554

Organic additives: for scale control at Salton Sea geothermal field, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27

Starch- and carboxymethyl cellulose-based polymers used in drilling fluids: thermal stability, (Tech. Paper SPE 8463) SPEJ Apr. 82, 171-180

### Finite Difference Method

For controlling numerical dispersion: variably timed flux updating in two dimensions, (Tech. Paper SPE 9374) SPEJ Jun. 82, 409-419

### Finite Element Method

Model simulations associated with hydraulic fracturing, (Tech. Paper SPE 8941) SPEJ Apr. 82, 209-218

### Flow Rate

Low: and high-pressure coreflooding experiments; oscillating back-pressure regulator for, (Tech. Paper SPE 9964) SPEJ Dec. 82, 899-901

### Flow Tests

Steady-state: measurements of relative permeability: polymer/oil systems, (Tech. Paper SPE 9408) SPEJ Feb. 82, 79-86

### Fluid Flow

Around a wellbore: sand stresses, (Tech. Paper SPE 9650) SPEJ Dec. 82, 883-898

Gas/liquid relative permeability experiments: effects of vaporization and temperature, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116

In wells with finite-conductivity vertical fractures, (Tech. Paper SPE 8281) SPEJ Oct. 82, 681-698

Miscible and immiscible: in porous media; numerical simulation of, (Tech. Paper SPE 9767) SPEJ Oct. 82, 635-646

Non-Newtonian fluids: proppant settling correlations, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170

Porous media: radial movement of permeability fronts; and multiple reaction zones, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107

Porous media: radial movement of permeability fronts; and multiple reaction zones; authors reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905

Porous media: radial movement of permeability fronts; and multiple reaction zones; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905

Some effects on hydraulic fracturing, (Tech. Paper SPE 9831) SPEJ Jun. 82, 321-332

### Fluid Loss

Reducers: in drilling fluids; thermal stability of starch- and carboxymethyl cellulose-based polymers, (Tech. Paper SPE 8463) SPEJ Apr. 82, 171-180

### Forces

Tubing: dual flow assembly installations, (Tech. Paper SPE 9265) SPEJ Dec. 82, 866-874

## Formation Evaluation

Relationship between formation resistivity factor and porosity, (Tech. Paper SPE 10546) SPEJ Aug. 82, 531-536

## Formation Fractures

Hydraulic: geometry of a large-scale nitrogen gas type formed in Devonian shale; example of fracture mapping with tiltmeters, (Tech. Paper SPE 8933) SPEJ Oct. 82, 755-763

Location: acoustic emissions as a tool; experience at Fenton Hill hot dry rock site, (Tech. Paper SPE 9509) SPEJ Aug. 82, 523-530

Vertical: influence of intercepting active and observation wells on interference tests, (Tech. Paper SPE 9346) SPEJ Dec. 82, 933-944

Vertical: non-Darcy flow in wells with finite conductivity, (Tech. Paper SPE 8281) SPEJ Oct. 82, 681-698

## Formation Fracturing

Granite geothermal reservoir: interwell tracer analyses of hydraulic fractures, (Tech. Paper SPE 8270) SPEJ Aug. 82, 537-554

Hydraulic: finite element model simulations associated with, (Tech. Paper SPE 8941) SPEJ Apr. 82, 209-218

Hydraulic: laboratory investigation; effect of in-situ stresses on containment, (Tech. Paper SPE 9834) SPEJ Jun. 82, 333-340

Hydraulic: some effects of stress, friction and fluid flow, (Tech. Paper SPE 9831) SPEJ Jun. 82, 321-332

Multiple: of borehole using tailored-pulse loading, (Tech. Paper SPE 9892) SPEJ Dec. 82, 923-932

## Formation Resistivity Factor

Relationship with porosity, (Tech. Paper SPE 10546) SPEJ Aug. 82, 531-536

## Foundation

Piled: modeling of, (Tech. Paper SPE 11276) SPEJ Oct. 82, 775-783

## Fracturing Fluids

Non-Newtonian: under static and dynamic conditions; proppant settling correlations, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170

## Frequency

Mean and low: wave forces, (Tech. Paper SPE 10941) SPEJ Aug. 82, 563-572

## Friction

Effects estimated on tubing buckling: packer effect, (Tech. Paper SPE 9264) SPEJ Oct. 82, 616-624

Some effects on hydraulic fracturing, (Tech. Paper SPE 9831) SPEJ Jun. 82, 321-332

## G

## Gas Analysis

Factors affecting interfacial tensions between surfactant solutions and crude oil: use of perspective plots to aid in determining, (Forum SPE 9969) SPEJ Jun. 82, 350-352

Optimal: requirement diagram: useful tool in chemical flooding research and development, (Tech. Paper SPE 8824) SPEJ Apr. 82, 259-270

Released gas: natural gas potential of New Albany shale group (Devonian-Mississippian); southeastern Illinois, (Tech. Paper SPE 8924) SPEJ Apr. 82, 291-300

## Gas Drive

External relative permeability calculations: gas/liquid; effects of vaporization and temperature, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116

## Gas Recovery

By hydraulic fracturing: finite element model simulations, (Tech. Paper SPE 8941) SPEJ Apr. 82, 209-218

## Gases

Annular flow: behavior of cement slurries between their fluid and set states controls gas entry, (Tech. Paper SPE 9285) SPEJ Dec. 82, 875-882

## Gels

Gelation time: effect of temperature on polyacrylamide/chromium (III) systems, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471

## Geochemical Exploration

New Albany shale group (Devonian-Mississippian): southeastern Illinois; natural gas potential, (Tech. Paper SPE 8924) SPEJ Apr. 82, 291-300

## Geological Study

New Albany shale group (Devonian-Mississippian): southeastern Illinois; natural gas potential, (Tech. Paper SPE 8924) SPEJ Apr. 82, 291-300

## Geometry

Of a large-scale nitrogen gas hydraulic fracture formed in Devonian shale: example of fracture mapping with tiltmeters, (Tech. Paper SPE 8933) SPEJ Oct. 82, 755-763

## Geotechnical Studies

Modeling of piled foundations, (Tech. Paper SPE 11276) SPEJ Oct. 82, 775-783

## Geothermal Energy

Production: accurate and efficient chemical model for hydrothermal brines, (Tech. Paper SPE 8993) SPEJ Oct. 82, 699-708

## Geothermal Reservoir

Fenton Hill hot dry rock site: experience with acoustic emissions as tool for hydraulic fracture location, (Tech. Paper SPE 9509) SPEJ Aug. 82, 523-530

Hydraulically fractured granite: interwell tracer analysis, (Tech. Paper SPE 8270) SPEJ Aug. 82, 537-554

Two-phase: model studies of the depletion, (Tech. Paper SPE 8266) SPEJ Apr. 82, 280-290

## Geothermal Wells

Amorphous silica in brines: equations and type curves for predicting the polymerization of, (Tech. Paper SPE 9682) SPEJ Feb. 82, 9-16

Two-phase tests: wellbore effects in analysis, (Tech. Paper SPE 9922) SPEJ Jun. 82, 309-320

## Germany

High-salinity reservoirs: evaluation of low-tension flood process; laboratory study under reservoir conditions, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846

## Ground Water

Restoration of quality: following pilot-scale acidic in-situ uranium leaching; Nine-Mile Lake near Casper, Wyoming, (Tech. Paper SPE 9494) SPEJ Jun. 82, 382-398

## Guanidine Chlorhydrate

Solutions: comparison of inhibitory action with KCl on montmorillonite swelling, (Tech. Paper SPE 9092) SPEJ Aug. 82, 514-522

## H

## Heat

Loss: need for computing, through buried submarine pipelines; determination of thermal conductivity of soils, (Tech. Paper SPE 8665) SPEJ Aug. 82, 558-562

## Heat Transfer

Considerations: in analytical modeling of oil recovery by steam injection; asymptotic and approximate solutions, discussion of, (Discussion SPE 10943) SPEJ Aug. 82, 557

Considerations: in analytical modeling of; asymptotic and approximate solutions, author's reply to discussion of, (Rebuttal SPE 10951) SPEJ Aug. 82, 557

## Heterogeneity

Geological: important to future enhanced recovery in carbonate reservoirs; Upper Ordovician Red River formation, Cabin Creek field, Montana, (Tech. Paper SPE 9802) SPEJ Jun. 82, 429-444

## High Pressure

And low flow rate: oscillating back-pressure regulator for; coreflooding experiments, (Tech. Paper SPE 9964) SPEJ Dec. 82, 899-901

## History-Laboratory Studies

### History

Matching: automatic; Comparison of sensitivity coefficient calculation methods; discussion of, (Discussion SPE 10873) SPEJ Apr. 82, 205-208

### Hydrocarbons

Phase relationships involving water and alcohols: effect of hydrotropic salts, (Tech. Paper SPE 8987) SPEJ Jun. 82, 363-370

## I

### Illinois

Southeastern: natural gas potential; New Albany shale group (Devonian-Mississippian), (Tech. Paper SPE 8924) SPEJ Apr. 82, 291-300

### Immiscible Displacement

Fluid flow in porous media: numerical simulation of, (Tech. Paper SPE 9767) SPEJ Oct. 82, 635-646

### Implicit Iterative Procedure

For reservoir simulation; block methods, (Tech. Paper SPE 9303) SPEJ Oct. 82, 658-668

### Impurities

Effects on minimum miscibility pressures and minimum enrichment levels: CO<sub>2</sub> and rich gas displacements, (Tech. Paper SPE 9230) SPEJ Apr. 82, 219-225

### In-Situ Combustion

Automation of in-situ combustion tube: study of effect of clay on the process, (Tech. Paper SPE 10320) SPEJ Aug. 82, 493-502

### Inhibitors

Organic: for scale control at Salton Sea geothermal field; field tests, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27

### Injection

CO<sub>2</sub>: compositional modeling with an equation of state; author's reply to discussion of, (Rebuttal SPE 10903) SPEJ Apr. 82, 204

CO<sub>2</sub>: compositional modeling with an equation of state; discussion of, (Discussion SPE 10894) SPEJ Apr. 82, 202-203

Steam: analytical modeling of oil recovery; asymptotic and approximate solutions, author's reply to discussion of, (Rebuttal SPE 10951) SPEJ Aug. 82, 557

Steam: analytical modeling of oil recovery; asymptotic and approximate solutions, discussion of, (Discussion SPE 10943) SPEJ Aug. 82, 557

### Injection Wells

Water: improved simulation for interpreting temperature logs, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

### Interfacial Tension

Between surfactant solutions and crude oil; use of perspective plots to aid in determining factors affecting, (Forum SPE 9969) SPEJ Jun. 82, 350-352

Competing roles with surfactant equivalent weight in development of a chemical flood, (Tech. Paper SPE 8898) SPEJ Aug. 82, 472-480

Effect of alkaline additives: surfactant flooding, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513

Effect on relative oil/water permeabilities: consolidated porous media, (Tech. Paper SPE 9783) SPEJ Jun. 82, 371-381

### Interference

Tests: influence of vertical fractures intercepting active and observation wells, (Tech. Paper SPE 9346) SPEJ Dec. 82, 933-944

### Interpretation

Of change in optimal salinity with overall surfactant concentration, (Tech. Paper SPE 10063) SPEJ Dec. 82, 971-982

### Ion Exchange

Causes salinity-requirement diagram to change during chemical flooding, (Tech. Paper SPE 8824) SPEJ Apr. 82, 259-270

Chemical theory: linear alkaline flooding, (Tech. Paper SPE 8997) SPEJ Apr. 82, 245-258

With clays in the presence of surfactant, (Tech. Paper SPE 9279) SPEJ Apr. 82, 181-192

### Iteration

Block methods for fully implicit reservoir simulation, (Tech. Paper SPE 9303) SPEJ Oct. 82, 658-668

## K

### Kinetics

Study of desulfonation of surfactants, (Tech. Paper SPE 10936) SPEJ Dec. 82, 993-997

### Kozeny-Carman Equations

Polymers: flooding in North Sea reservoirs, (Tech. Paper SPE 9300) SPEJ Jun. 82, 353-362

## L

### Laboratory Studies

Collapse strength of oilwell casing: effect of axial tension load, (Tech. Paper SPE 11238) SPEJ Oct. 82, 609-615

Desulfonation of surfactants: kinetic study of, (Tech. Paper SPE 10936) SPEJ Dec. 82, 993-997

Diamond: core-bit drilling process: mathematical model and its practical application, (Tech. Paper SPE 10148) SPEJ Dec. 82, 911-922

Dispersive mixing effect: on micellar system; Sloss field, Nebraska, (Tech. Paper SPE 9782) SPEJ Aug. 82, 481-492

Effect of clay on in-situ combustion process: automation of in-situ combustion process, (Tech. Paper SPE 10320) SPEJ Aug. 82, 493-502

Effect of interfacial tensions on relative oil/water permeabilities: consolidated porous media, (Tech. Paper SPE 9783) SPEJ Jun. 82, 371-381

Elevated-temperature caustic/sandstone interaction: implications for improving oil recovery, (Tech. Paper SPE 9810) SPEJ Aug. 82, 453-462

Elevated-temperature caustic/sandstone interaction: implications for improving oil recovery; author's reply to discussion of, (Rebuttal SPE 11548) SPEJ Dec. 82, 910

Elevated-temperature caustic/sandstone interaction: implications for improving oil recovery; discussion of, (Discussion SPE 11348) SPEJ Dec. 82, 910

Fatigue analysis: clad and unclad thick-wall structures, (Tech. Paper SPE 10853) SPEJ Feb. 82, 151-156

Fatigue behavior: large-diameter wire ropes, (Tech. Paper SPE 10905) SPEJ Jun. 82, 420-428

Gas/liquid relative permeability: effects of vaporization and temperature, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116

Hydraulic fracture containment: effect of in-situ stresses, (Tech. Paper SPE 9834) SPEJ Jun. 82, 333-340

Hydraulic fracturing: some effects of stress, friction and fluid flow, (Tech. Paper SPE 9831) SPEJ Jun. 82, 321-332

Linear alkaline flooding: chemical theory, (Tech. Paper SPE 8997) SPEJ Apr. 82, 245-258

Low-flow-rate, high-pressure coreflooding: oscillating back-pressure regulator for, (Tech. Paper SPE 9964) SPEJ Dec. 82, 899-901

Miscible-type displacement by carbon dioxide: effect of oil composition, (Tech. Paper SPE 8814) SPEJ Feb. 82, 87-98

Montmorillonite swelling: comparison of inhibitory action of KCl and guanidine hydrochloride solutions, (Tech. Paper SPE 9092) SPEJ Aug. 82, 514-522

Multiple fracturing of boreholes: use of tailored-pulse loading, (Tech. Paper SPE 9892) SPEJ Dec. 82, 923-932

Non-Newtonian fluids: proppant settling correlations under static and dynamic conditions, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170

Of a mild leaching system: in-situ leaching of uranium ore; Crownpoint, New Mexico, (Tech. Paper SPE 10231) SPEJ Dec. 82, 1013-1022



- Oil-recovery surfactant formulation: development using surface design experiments, (Tech. Paper SPE 8878) SPEJ Apr. 82, 237-244
- Oil/brine/surfactant systems: topology of phase boundaries; relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36
- On relationship between formation resistivity factor and porosity, (Tech. Paper SPE 10546) SPEJ Aug. 82, 531-536
- Organic additives: for scale control; field tests at Salton Sea geothermal field, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27
- Phase behavior of micellar systems: effect of several polymers, (Tech. Paper SPE 8826) SPEJ Dec. 82, 816-830
- Polymer flooding: North Sea reservoirs, (Tech. Paper SPE 9300) SPEJ Jun. 82, 353-362
- Polymer/oil systems: steady-state measurements of relative permeability, (Tech. Paper SPE 9408) SPEJ Feb. 82, 79-86
- Polymerization of amorphous silica: in geothermal brine; equations and type curves for predicting, (Tech. Paper SPE 9682) SPEJ Feb. 82, 9-16
- Pulse decay permeability, (Tech. Paper SPE 9744) SPEJ Oct. 82, 719-721
- Radial movement of permeability fronts: and multiple reaction zones in porous media; author's reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905
- Radial movement of permeability fronts: and multiple reaction zones in porous media; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905
- Radial movement of permeability fronts: multiple reaction zones in porous media, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107
- Residence time of oil mixed into the water column by breaking waves, (Tech. Paper SPE 10933) SPEJ Aug. 82, 573-584
- Scanning electron microscopy and core analysis: for mini CO<sub>2</sub> flooding operations in Hospah formation; Miguel Creek field, New Mexico, (Tech. Paper SPE 10302) SPEJ Dec. 82, 797-804
- Solubilization of oil and water: criteria for structuring surfactants to maximize; commercial nonionics, (Tech. Paper SPE 9815) SPEJ Oct. 82, 743-749
- Surfactant flooding: effect of alkaline additives on IFT, surfactant adsorption and recovery efficiency, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513
- Surfactant retention: in Berea sandstone; effects of phase behavior and temperature, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970
- Surfactants: two model systems; phase behavior studies, (Tech. Paper SPE 8984) SPEJ Feb. 82, 53-60
- Thermal conductivity of soils; need for computing heat loss through buried submarine pipelines, (Tech. Paper SPE 8665) SPEJ Aug. 82, 558-562
- Thermal stability of surfactants for reservoir application, (Tech. Paper SPE 7867) SPEJ Oct. 82, 722-730
- Thermal stability of surfactants for reservoir application: author's reply to discussion of, (Rebuttal SPE 11597) SPEJ Dec. 82, 909
- Thermal stability of surfactants for reservoir application: discussion of, (Discussion SPE 11323) SPEJ Dec. 82, 905-908
- Transition time of cement slurries between fluid and set states, (Tech. Paper SPE 9285) SPEJ Dec. 82, 875-882
- Under reservoir conditions: evaluation of low-tension flood process for high-salinity reservoir, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846
- Vesicular dispersion delivery systems: surfactant waterflooding processes, (Tech. Paper SPE 9349) SPEJ Feb. 82, 37-52
- Leaching**
- In-situ: uranium ore: Crownpoint, New Mexico: laboratory study of a mild leaching system, (Tech. Paper SPE 10231) SPEJ Dec. 82, 1013-1022
- Uranium mining: optimization of, (Tech. Paper SPE 9488) SPEJ Feb. 82, 132-140
- Uranium: evaluation of one-well test; restoration, (Tech. Paper SPE 9486) SPEJ Feb. 82, 141-150

Uranium: pilot-scale acidic in-situ operation: restoration of groundwater quality; Nine-Mile Lake site near Casper, Wyoming, (Tech. Paper SPE 9494) SPEJ Jun. 82, 382-398

#### Levelland Field

See Texas, (Tech. Paper SPE 9785) SPEJ Dec. 82, 805-815

#### Line Drive

Numerical simulation comparison with line drive: in micellar/polymer flooding, (Tech. Paper SPE 9427) SPEJ Feb. 82, 69-78

#### Liquids

Lytotropic crystalline polymer (xanthan gum): properties as suspending agent, (Forum SPE 9097) SPEJ Aug. 82, 555-556

#### Log Interpretation

Temperature logs in water injection wells: improved simulation, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

#### Low-Tension Flooding

Effect of alkaline additives on permeability and sweep efficiency, (Tech. Paper SPE 9811) SPEJ Dec. 82, 983-992

Evaluation for high-salinity reservoir: laboratory study under reservoir conditions, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846

## M

#### Mapping

Fractures: with tiltmeters; geometry of a large-scale nitrogen gas hydraulic fracture formed in Devonian shale, (Tech. Paper SPE 8933) SPEJ Oct. 82, 755-763

#### Measurement

Of particle transport through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865

Of surfactant adsorption at solid/liquid interface: in Berea sandstone; effects of phase behavior and temperature, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970

Pulse decay permeability: experimental test and analytical solution, (Tech. Paper SPE 9744) SPEJ Oct. 82, 719-721

Steady-state: of relative permeability; for polymer/oil systems, (Tech. Paper SPE 9408) SPEJ Feb. 82, 79-86

#### Micellar Systems

Characterization and oil recovery observations: series of synthetic petroleum sulfonates, (Tech. Paper SPE 8323) SPEJ Apr. 82, 226-236

Effect of several polymers on phase behavior, (Tech. Paper SPE 8826) SPEJ Dec. 82, 816-830

Polymer flooding: numerical simulation comparison of five-spot vs. line drive, (Tech. Paper SPE 9427) SPEJ Feb. 82, 69-78

#### Microemulsions

Phase behavior studies: two model surfactant systems, (Tech. Paper SPE 8984) SPEJ Feb. 82, 53-60

Selection: oil/brine/surfactant phase boundaries; relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

#### Migration

of alkaline pulses in reservoir sands, (Tech. Paper SPE 10288) SPEJ Dec. 82, 998-1012

#### Minerals

Semisubmersibles: mean- and low-frequency wave forces on, (Tech. Paper SPE 10941) SPEJ Aug. 82, 563-572

#### Mining

Solution: evaluation of one-well uranium leaching test; restoration, (Tech. Paper SPE 9486) SPEJ Feb. 82, 141-150

Uranium leach: optimization of, (Tech. Paper SPE 9488) SPEJ Feb. 82, 132-140

#### Miscible Displacement

By carbon dioxide: effect of oil composition, (Tech. Paper SPE 8814) SPEJ Feb. 82, 87-98

CO<sub>2</sub> and rich-gas: effects of impurities on minimum miscibility pressures and minimum enrichment levels, (Tech. Paper SPE 9230) SPEJ Apr. 82, 219-225

CO<sub>2</sub>: of reservoir oil; Levelland field, Texas, (Tech. Paper SPE 9785) SPEJ Dec. 82, 805-815

## Mixing-Non-Newtonian Systems

- Fluid flow in porous media: numerical simulation of, (Tech. Paper SPE 9767) SPEJ Oct. 82, 635-646
- Gas floods of oil reservoirs: Gibbs energy analysis of phase equilibria, (Tech. Paper SPE 9806) SPEJ Oct. 82, 731-742
- In full-diameter carbonate cores: simulation of, (Tech. Paper SPE 9233) SPEJ Oct. 82, 647-657

### Mixing

- Dispersive effects on micellar system: Sloss field, Nebraska, (Tech. Paper SPE 9782) SPEJ Aug. 82, 481-492
- Turbulent: residence time of oil mixed into the water column by breaking waves, (Tech. Paper SPE 10933) SPEJ Aug. 82, 573-584

### Mixtures

- Ternary: thermodynamic modeling: pseudophase behavior, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961

### Mobility

- Micellar system: dispersive mixing effect; Sloss field, Nebraska, (Tech. Paper SPE 9782) SPEJ Aug. 82, 481-492

### Models

- Analytical: oil recovery by steam injection; asymptotic and approximate solutions, author's reply to discussion of, (Rebuttal SPE 10951) SPEJ Aug. 82, 557
- Analytical: oil recovery by steam injection; asymptotic and approximate solutions, discussion of, (Discussion SPE 10943) SPEJ Aug. 82, 557
- Chemical equilibrium: for hydrothermal brines, (Tech. Paper SPE 8993) SPEJ Oct. 82, 699-708
- Compositional: with an equation of state; author's reply to discussion of, (Rebuttal SPE 10903) SPEJ Apr. 82, 204
- Compositional: with an equation of state; discussion of, (Discussion SPE 10894) SPEJ Apr. 82, 202-203
- Dispersion-capacitance: full-diameter carbonate cores; simulation of miscible displacement in, (Tech. Paper SPE 9233) SPEJ Oct. 82, 647-657
- Field: in-situ combustion process simulator; moving-front representation, (Tech. Paper SPE 9450) SPEJ Apr. 82, 271-279
- Finite element: simulations associated with hydraulic fracturing, (Tech. Paper SPE 8941) SPEJ Apr. 82, 209-218
- For radial movement of reaction fronts: porous media, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107
- For radial movement of reaction fronts: porous media; author's reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905
- For radial movement of reaction fronts: porous media; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905
- For wave prediction: comparison of various numerical techniques, (Tech. Paper SPE 8544) SPEJ Oct. 82, 764-774
- Fracture flow: finite difference; non-Darcy flow in wells with finite-conductivity vertical fractures, (Tech. Paper SPE 8281) SPEJ Oct. 82, 681-698
- Hurd and Letteron: effect of temperature on gelation time for polyacrylamide/chromium (III) systems, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471
- Linear displacement: chemical theory for alkaline flooding, (Tech. Paper SPE 8997) SPEJ Apr. 82, 243-258
- Linear: of piled foundations, (Tech. Paper SPE 11276) SPEJ Oct. 82, 775-783
- Lucite wellbore: measuring particle transport through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865
- Mathematical: diamond core-bit drilling process; practical application, (Tech. Paper SPE 10148) SPEJ Dec. 82, 911-922
- Mathematical: influence of adjacent conductive formations; on selective electric reservoir heating process, (Tech. Paper SPE 9082) SPEJ Oct. 82, 750-754
- Numerical theoretical-boundary element: some effects of stress, friction, and fluid flow on hydraulic fracturing, (Tech. Paper SPE 9831) SPEJ Jun. 82, 321-332
- Particle transport: non-Newtonian fluids under static and dynamic conditions; proppant settling correlations, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170
- Porous bed: polymer flooding; North Sea reservoirs, (Tech. Paper SPE 9300) SPEJ Jun. 82, 353-362

- SHAFT79 simulator: studies of depletion of two-phase geothermal reservoirs, (Tech. Paper SPE 8266) SPEJ Apr. 82, 280-290

- Tests: mean- and low-frequency waves forces on semisubmersibles, (Tech. Paper SPE 10941) SPEJ Aug. 82, 563-572

- Theoretical: generated to predict alkaline pulse behavior in reservoir sands, (Tech. Paper SPE 10288) SPEJ Dec. 82, 998-1012

- Thermodynamic: for compositional simulation; calculation of multiphase equilibrium, (Tech. Paper SPE 9232) SPEJ Feb. 82, 61-68

- Thermodynamic: pseudoternary phase behavior, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961

- Three-dimensional: sand stresses around wellbore, (Tech. Paper SPE 9650) SPEJ Dec. 82, 883-898

- Transient Wellbore: effects in analysis of two-phase geothermal well tests, (Tech. Paper SPE 9922) SPEJ Jun. 82, 309-320

- Two surfactant systems: phase behavior studies, (Tech. Paper SPE 8984) SPEJ Feb. 82, 53-60

### Montana

- Cabin Creek field: Upper Ordovician Red River formation: geological heterogeneities important to future enhanced recovery in carbonate reservoirs, (Tech. Paper SPE 9802) SPEJ Jun. 82, 429-444

### Montmorillonite

- Swelling: comparison of inhibitory action of KCl and guanidine hydrochloride solutions, (Tech. Paper SPE 9092) SPEJ Aug. 82, 514-522

### Mud Filtrate

- Dispersive mixing effects: Sloss field, Nebraska, (Tech. Paper SPE 9782) SPEJ Aug. 82, 481-492

## N

### Natural Gas

- Potential of New Albany shale group (Devonian-Mississippian): southeastern Illinois, (Tech. Paper SPE 8924) SPEJ Apr. 82, 291-300

### Nebraska

- Sloss field: micellar system; dispersive mixing effects, (Tech. Paper SPE 9782) SPEJ Aug. 82, 481-492

### Nevada

- Tuff: laboratory investigation; effect of in-situ stresses on hydraulic fracture containment, (Tech. Paper SPE 9834) SPEJ Jun. 82, 333-340

### New Mexico

- Crownpoint Area: in-situ leaching of uranium ore; laboratory study of a mild leaching system, (Tech. Paper SPE 10231) SPEJ Dec. 82, 1013-1022
- Fenton Hill site: experience with acoustic emissions as tool for hydraulic fracture location, (Tech. Paper SPE 9509) SPEJ Aug. 82, 523-530
- Fenton Hill site: hydraulically fractured granite geothermal reservoir; interwell tracer analyses, (Tech. Paper SPE 8270) SPEJ Aug. 82, 537-554
- Miguel Creek field: scanning electron microscopy and core analysis in Hospah formation, (Tech. Paper SPE 10302) SPEJ Dec. 82, 797-804

### Nitrogen

- And steam: piston-like displacement of water; stability in porous media, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634
- Gas: large-scale hydraulic fracture formed in Devonian shale; geometry of: example of fracture mapping with tiltmeters, (Tech. Paper SPE 8933) SPEJ Oct. 82, 755-763

### Non-Newtonian Systems

- Fluids under static and dynamic conditions: proppant settling correlations, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170

**North Sea**

Reservoirs: polymer flooding in, (Tech. Paper SPE 9300) SPEJ Jun. 82, 353-362

Viking gas field: structural repair experiences, (Tech. Paper SPE 10942) SPEJ Aug. 82, 585-593

**Nuclear Energy**

Uranium ore: in-situ leaching of Crownpoint, New Mexico; laboratory study of a mild leaching system, (Tech. Paper SPE 10231) SPEJ Dec. 82, 1013-1022

**Numerical Solutions**

Buckling behavior of well tubing: packer effect, (Tech. Paper SPE 9264) SPEJ Oct. 82, 616-624

Chemical theory: linear alkaline flooding, (Tech. Paper SPE 8997) SPEJ Apr. 82, 245-258

Compositional modeling with an equation of state; author's reply to discussion of, (Rebuttal SPE 10903) SPEJ Apr. 82, 204

Compositional modeling with an equation of state; discussion of, (Discussion SPE 10894) SPEJ Apr. 82, 202-203

Compositional simulation: computation of multiphase equilibrium, (Tech. Paper SPE 9232) SPEJ Feb. 82, 61-68

Controlling dispersion: by variably timed flux updating in two dimensions, (Tech. Paper SPE 9374) SPEJ Jun. 82, 409-419

Controlling dispersion; by variably timed flux updating in one dimension, (Tech. Paper SPE 8027) SPEJ Jun. 82, 399-408

Depletion of two-phase geothermal reservoirs, (Tech. Paper SPE 8266) SPEJ Apr. 82, 280-290

Diamond core-bit drilling process: mathematical model and its practical application, (Tech. Paper SPE 10148) SPEJ Dec. 82, 911-922

Entrainment and deposition of fine particles: in porous media, (Tech. Paper SPE 8430) SPEJ Dec. 82, 847-856

Evaluation of one-well uranium leaching test: restoration, (Tech. Paper SPE 9486) SPEJ Feb. 82, 141-150

For relationship between formation resistivity factor and porosity, (Tech. Paper SPE 10546) SPEJ Aug. 82, 531-536

Fully implicit reservoir simulation: block iterative methods for, (Tech. Paper SPE 9303) SPEJ Oct. 82, 658-668

Gas/liquid relative permeability: effects of vaporization and temperature, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116

Gibbs energy analysis of phase equilibria, (Tech. Paper SPE 9806) SPEJ Oct. 82, 731-742

History matching: automatic; comparison of sensitivity coefficient calculation methods; discussion of, (Discussion SPE 10873) SPEJ Apr. 82, 205-208

Hydraulic fracture geometry: fracture containment in layered formations, (Tech. Paper SPE 9261) SPEJ Jun. 82, 341-349

Hydraulic fracturing: some effects of stress, friction, and fluid flow, (Tech. Paper SPE 9831) SPEJ Jun. 82, 321-332

In-situ combustion process simulator: moving front representation, (Tech. Paper SPE 9450) SPEJ Apr. 82, 271-279

Interference tests: influence of vertical fractures intercepting active and observation wells, (Tech. Paper SPE 9346) SPEJ Dec. 82, 933-944

Ion exchange: through porous media in the presence of clays and surfactant, (Tech. Paper SPE 9279) SPEJ Apr. 82, 181-192

Mean- and low-frequency wave forces on semisubmersibles, (Tech. Paper SPE 10941) SPEJ Aug. 82, 563-572

Migration of alkaline pulses in reservoir sands, (Tech. Paper SPE 10288) SPEJ Dec. 82, 998-1012

Modeling of piled foundations, (Tech. Paper SPE 11276) SPEJ Oct. 82, 775-783

Non-Darcy flow in wells with finite-conductivity vertical fractures, (Tech. Paper SPE 8281) SPEJ Oct. 82, 681-698

Of pseudoternary phase behavior: thermodynamic modeling, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961

Oil recovery by steam injection: asymptotic and approximate solutions of analytical modeling; discussion of, (Discussion SPE 10943) SPEJ Aug. 82, 557

Oil recovery by steam injection; asymptotic and approximate solutions of analytical modeling; author's reply to discussion of, (Rebuttal SPE 10951) SPEJ Aug. 82, 557

Oil-recovery surfactant formulation: development using surface design experiments, (Tech. Paper SPE 8878) SPEJ Apr. 82, 237-244

Particle transport through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865

Polymerization of amorphous silica: in geothermal brines; prediction method, (Tech. Paper SPE 9682) SPEJ Feb. 82, 9-16

Pulse decay permeability, (Tech. Paper SPE 9744) SPEJ Oct. 82, 719-721

Radial movement of permeability fronts: and multiple reaction zones; porous media, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107

Radial movement of permeability fronts: and multiple reaction zones; porous media; authors reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905

Radial movement of permeability fronts: and multiple reaction zones; porous media; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905

Sand stresses around a wellbore, (Tech. Paper SPE 9650) SPEJ Dec. 82, 883-898

Selective electric reservoir heating process: influence of adjacent conductive formations, (Tech. Paper SPE 9082) SPEJ Oct. 82, 750-754

Simulation comparison: five-spot vs. line drive; micellar/polymer flooding, (Tech. Paper SPE 9427) SPEJ Feb. 82, 69-78

Simulation of miscible and immiscible fluid flows in porous media, (Tech. Paper SPE 9767) SPEJ Oct. 82, 635-646

Simulation of miscible displacement: in full-diameter carbonate cores, (Tech. Paper SPE 9233) SPEJ Oct. 82, 647-657

Solubility predictions for hydrothermal brines: accurate and efficient chemical model, (Tech. Paper SPE 8993) SPEJ Oct. 82, 699-708

Tubing movement, forces, and stresses: dual flow assembly installation, (Tech. Paper SPE 9265) SPEJ Dec. 82, 866-874

Wave prediction: comparison of various techniques, (Tech. Paper SPE 8544) SPEJ Oct. 82, 764-774

Wellbore effects: analysis of two-phase geothermal well tests, (Tech. Paper SPE 9922) SPEJ Jun. 82, 309-320

**O****Oceanography**

Wave prediction: comparison of various numerical techniques, (Tech. Paper SPE 8544) SPEJ Oct. 82, 764-774

**Offshore**

Equipment: clad and unclad thick-wall structures; fatigue analysis of, (Tech. Paper SPE 10853) SPEJ Feb. 82, 151-156

Structures: modeling of piled foundations, (Tech. Paper SPE 11276) SPEJ Oct. 82, 775-783

Structures: repair experiences in Viking gas field, (Tech. Paper SPE 10942) SPEJ Aug. 82, 585-593

**Offshore Drilling**

Fatigue behavior of large-diameter wire ropes, (Tech. Paper SPE 10905) SPEJ Jun. 82, 420-428

**Offshore Operations**

Wave prediction: comparison of various numerical techniques, (Tech. Paper SPE 8544) SPEJ Oct. 82, 764-774

**Oil**

And water: criteria for structuring surfactants to maximize solubilization; commercial nonionics, (Tech. Paper SPE 9815) SPEJ Oct. 82, 743-749

Mixed into water column by breaking waves: residence time of, (Tech. Paper SPE 10933) SPEJ Aug. 82, 573-584

Water, relative permeabilities: effect of interfacial tensions on; consolidated porous media, (Tech. Paper SPE 9783) SPEJ Jun. 82, 371-381

## Oil Recovery-Polymers

### Oil Recovery

By steam injection: analytical modeling of; asymptotic and approximate solutions, author's reply to discussion of, (Rebuttal SPE 10951) SPEJ Aug. 82, 557

By steam injection: analytical modeling of; asymptotic and approximate solutions, discussion of, (Discussion SPE 10943) SPEJ Aug. 82, 557

Effect of alkaline additives on efficiency: surfactant flooding, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513

Efficiency: criteria for structuring surfactants to maximize solubilization of oil and water; commercial nonionics, (Tech. Paper SPE 9815) SPEJ Oct. 82, 743-749

Gibbs energy analysis of phase equilibria, (Tech. Paper SPE 9806) SPEJ Oct. 82, 731-742

Implications for improving: elevated-temperature caustic/sandstone interaction, (Tech. Paper SPE 9810) SPEJ Aug. 82, 453-462

Implications for improving: elevated-temperature caustic/sandstone interaction; author's reply to discussion of, (Rebuttal SPE 11548) SPEJ Dec. 82, 910

Implications for improving: elevated-temperature caustic/sandstone interaction; discussion of, (Discussion SPE 11348) SPEJ Dec. 82, 910

Observations: on series of synthetic petroleum sulfonates, (Tech. Paper SPE 8323) SPEJ Apr. 82, 226-236

Relationship to topology of phase boundaries: oil/brine/surfactant systems, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

Surfactant formulation development: surface design experiments, (Tech. Paper SPE 8878) SPEJ Apr. 82, 237-244

### Oil Reservoirs

Levelland field, Texas: CO<sub>2</sub> displacement, (Tech. Paper SPE 9785) SPEJ Dec. 82, 805-815

Steam flood: kinetic study of desulfonation of surfactants, (Tech. Paper SPE 10936) SPEJ Dec. 82, 993-997

### Oil Wells

Casing: collapse strength; experimental study on effect of axial tension load, (Tech. Paper SPE 11238) SPEJ Oct. 82, 609-615

### Optimization

Of Salinity: interpretation of change with overall surfactant concentration, (Tech. Paper SPE 10063) SPEJ Dec. 82, 971-982

Of uranium leach mining, (Tech. Paper SPE 9488) SPEJ Feb. 82, 132-140

## P

### Packers

Forces effect: buckling behavior of well tubing, (Tech. Paper SPE 9264) SPEJ Oct. 82, 616-624

In dual flow assembly installation: tubing movement, forces and stresses, (Tech. Paper SPE 9265) SPEJ Dec. 82, 866-874

### Particle

Deposition of fine and entrainment: porous media, (Tech. Paper SPE 8430) SPEJ Dec. 82, 847-856

Transport through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865

### Penetration

Depth: hydraulic fracture geometry; fracture containment in layered formations, (Tech. Paper SPE 9261) SPEJ Jun. 82, 341-349

Mathematical model of diamond core-bit drilling process: practical application, (Tech. Paper SPE 10148) SPEJ Dec. 82, 911-922

### Perforating

Particle transport through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865

### Performance Predictions

Numerical: computation of multiphase equilibrium for compositional simulation, (Tech. Paper SPE 9232) SPEJ Feb. 82, 61-68

Polymerization of amorphous silica: in geothermal brines; equations and type curves, (Tech. Paper SPE 9682) SPEJ Feb. 82, 9-16

### Permeability

Effect of alkaline additives in surfactant flooding, (Tech. Paper SPE 9811) SPEJ Dec. 82, 983-992

Fronts: radial movement and multiple reaction zones; porous media, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107

Fronts: radial movement and multiple reaction zones; porous media; author's reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905

Fronts: radial movement and multiple reaction zones; porous media; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905

Pulse decay: analytical solution and experimental testing, (Tech. Paper SPE 9744) SPEJ Oct. 82, 719-721

### Petroleum Sulfonates

Series of synthetic types: characterization and oil recovery observations, (Tech. Paper SPE 8323) SPEJ Apr. 82, 226-236

Two model systems: phase behavior studies, (Tech. Paper SPE 8984) SPEJ Feb. 82, 53-60

### Phase Behavior

And temperature: effects on surfactant retention in Berea sandstone, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970

Chemical flooding: salinity-requirement diagram a useful tool in research and development, (Tech. Paper SPE 8824) SPEJ Apr. 82, 259-270

Computation of multiphase equilibrium: for compositional simulation, (Tech. Paper SPE 9232) SPEJ Feb. 82, 61-68

Equilibria: Gibbs energy analysis, (Tech. Paper SPE 9806) SPEJ Oct. 82, 731-742

Hydrocarbons, water, and alcohols: effect of hydrotropic salts, (Tech. Paper SPE 9887) SPEJ Jun. 82, 363-370

Nonionic surfactants: criteria for structuring to maximize solubilization, (Tech. Paper SPE 9815) SPEJ Oct. 82, 743-749

Of micellar systems: effect of several polymers on, (Tech. Paper SPE 8826) SPEJ Dec. 82, 816-830

Oil/brine/surfactant systems: topology of boundaries and its relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

Overall surfactant concentration: interpretation of change in optimal salinity, (Tech. Paper SPE 10063) SPEJ Dec. 82, 971-982

Pseudoternary: thermodynamic modeling of, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961

Studies of two model surfactant systems, (Tech. Paper SPE 8984) SPEJ Feb. 82, 53-60

### Pilot Study

Scale operation of acidic in-situ uranium leaching: restoration of groundwater quality following; Nine-Mile Lake site near Casper, Wyoming, (Tech. Paper SPE 9494) SPEJ Jun. 82, 382-398

### Pipelines

Buried submarine: need for computing heat loss through; determination of thermal conductivity of soils, (Tech. Paper SPE 8665) SPEJ Aug. 82, 558-562

### Plastics

Zones around uncased wellbore: sand stresses, (Tech. Paper SPE 9650) SPEJ Dec. 82, 883-898

### Platforms

Modeling of piled foundations, (Tech. Paper SPE 11276) SPEJ Oct. 82, 775-783

### Polyacrylamide

Chromium (III) systems: effect of temperature on gelation time, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471

Degradation: polymer flooding in North Sea reservoirs, (Tech. Paper SPE 9300) SPEJ Jun. 82, 353-362

### Polymerization

Of amorphous silica: in geothermal brines; equations and type curves for predicting, (Tech. Paper SPE 9682) SPEJ Feb. 82, 9-16

### Polymers

Effect of several on phase behavior of micellar fluids, (Tech. Paper SPE 8826) SPEJ Dec. 82, 816-830



- Flooding:** North Sea reservoirs, (Tech. Paper SPE 9300) SPEJ Jun. 82, 353-362
- Flooding:** characterization and oil recovery observations; series of synthetic petroleum sulfonates, (Tech. Paper SPE 8323) SPEJ Apr. 82, 226-236
- Floods:** effect of temperature on gelation time; polyacrylamide/chromium (III) systems, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471
- Micellar flooding:** numerical simulation comparison of five-spot vs. line drive, (Tech. Paper SPE 9427) SPEJ Feb. 82, 69-78
- Oil systems:** steady-state measurements of relative permeability, (Tech. Paper SPE 9408) SPEJ Feb. 82, 79-86
- Starch- and carboxymethyl cellulose-based used in drilling fluids:** thermal stability, (Tech. Paper SPE 8463) SPEJ Apr. 82, 171-180
- Xanthan gum:** lyotropic, liquid crystalline; properties as a suspending agent, (Forum SPE 9097) SPEJ Aug. 82, 555-556
- Polysaccharide**  
In solution: xanthan gum as a suspending agent, (Forum SPE 9097) SPEJ Aug. 82, 555-556
- Porosity**  
Relationship with formation resistivity factor, (Tech. Paper SPE 10546) SPEJ Aug. 82, 531-536  
Summation-of-fluids technique: improved procedure, (Tech. Paper SPE 9376) SPEJ Apr. 82, 193-201
- Porous Media**  
Consolidated: effect of interfacial tensions on relative oil/water permeabilities, (Tech. Paper SPE 9783) SPEJ Jun. 82, 371-381  
Entrainment and deposition of fine particles: in porous media, (Tech. Paper SPE 8430) SPEJ Dec. 82, 847-856  
Miscible and immiscible fluid flows in: numerical simulation of, (Tech. Paper SPE 9767) SPEJ Oct. 82, 635-646  
Multiple reaction zones: radial movement of permeability fronts, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107  
Multiple reaction zones: radial movement of permeability fronts; author's reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905  
Multiple reaction zones: radial movement of permeability fronts; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905  
Stability of piston-like displacement of water by steam and nitrogen, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634  
Vertical fractures: influence of intercepting active and observation wells on interference tests, (Tech. Paper SPE 9346) SPEJ Dec. 82, 933-944  
With clays: ion exchange in the presence of surfactant, (Tech. Paper SPE 9279) SPEJ Apr. 82, 181-192
- Potassium**  
Chloride: inhibitory action of; comparison with guanidine hydrochloride solutions on montmorillonite swelling, (Tech. Paper SPE 9092) SPEJ Aug. 82, 514-522
- Pressure Behavior**  
At observation well: interference tests; influence of vertical fractures intercepting, (Tech. Paper SPE 9346) SPEJ Dec. 82, 933-944  
Compositional modeling with an equation of state; author's reply to discussion of, (Rebuttal SPE 10903) SPEJ Apr. 82, 204  
Compositional modeling with an equation of state; discussion of, (Discussion SPE 10894) SPEJ Apr. 82, 202-203  
Depletion of two-phase geothermal reservoirs: model studies, (Tech. Paper SPE 8266) SPEJ Apr. 82, 280-290  
Minimum miscibility: effect of impurities on; CO<sub>2</sub> and rich-gas displacements, (Tech. Paper SPE 9230) SPEJ Apr. 82, 219-225
- Pressure Drawdown**  
Two-phase geothermal well tests: wellbore effects in analysis, (Tech. Paper SPE 9922) SPEJ Jun. 82, 309-320
- Pressure Transients**  
Two-phase tests: geothermal wells; wellbore effects analysis, (Tech. Paper SPE 9922) SPEJ Jun. 82, 309-320

**Production Logging**

In water injection wells: improved simulation for interpreting temperature logs, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

**Productivity**

Abnormal decline: caused by entrainment and deposition of fine particles: in porous media, (Tech. Paper SPE 8430) SPEJ Dec. 82, 847-856

**Propagation**

Of waves: comparison of various numerical prediction techniques, (Tech. Paper SPE 8544) SPEJ Oct. 82, 764-774

**Proppant**

Transport: settling correlations for non-Newtonian fluids; static and dynamic conditions, (Tech. Paper SPE 9330) SPEJ Apr. 82, 164-170

**Q****Quality Control**

Of routine laboratory core data: improved summation-of-fluids porosity technique, (Tech. Paper SPE 9376) SPEJ Apr. 82, 193-201

**R****Recovery Methods**

Mini CO<sub>2</sub> flooding operations: Hospah formation, Miguel Creek field, New Mexico; scanning electron microscopy and core analysis, (Tech. Paper SPE 10302) SPEJ Dec. 82, 797-804

Simulation of complex processes: 1/8 five-/nine-spot patterns, (Forum SPE 10915) SPEJ Dec. 82, 902

Uranium ore: in-situ leaching of Crownpoint, New Mexico; laboratory study of a mild leaching system, (Tech. Paper SPE 10231) SPEJ Dec. 82, 1013-1022

**Relative Permeability**

Gas/liquid: effects of vaporization and temperature, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116

Oil/water: effect of interfacial tensions; consolidated porous media, (Tech. Paper SPE 9783) SPEJ Jun. 82, 371-381

Polymer/oil systems: steady-state measurements of, (Tech. Paper SPE 9408) SPEJ Feb. 82, 79-86

**Repairs**

Structural: experiences in Viking gas field, (Tech. Paper SPE 10942) SPEJ Aug. 82, 585-593

**Research**

Chemical development: salinity-requirement diagram a useful tool, (Tech. Paper SPE 8824) SPEJ Apr. 82, 259-270

**Reservoir Simulation**

Compositional: computation of multiphase equilibrium, (Tech. Paper SPE 9232) SPEJ Feb. 82, 61-68

Fully implicit reservoir simulation: block iterative methods for, (Tech. Paper SPE 9303) SPEJ Oct. 82, 658-668

Numerical dispersion: controlling by variably timed flux updating in one dimension, (Tech. Paper SPE 8027) SPEJ Jun. 82, 399-408

Numerical dispersion: controlling by variably timed flux updating in two dimensions, (Tech. Paper SPE 9374) SPEJ Jun. 82, 409-419

**Reservoirs**

High-salinity: evaluation of low tension flood process; laboratory investigation under reservoir conditions, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846

Migration of alkaline pulses in sands, (Tech. Paper SPE 10288) SPEJ Dec. 82, 998-1012

Oil: CO<sub>2</sub> displacement in Levelland field, Texas, (Tech. Paper SPE 9785) SPEJ Dec. 82, 805-815

Selective electric heating process: influence of adjacent conductive formations, (Tech. Paper SPE 9082) SPEJ Oct. 82, 750-754

## Resistance-Stability

### Resistance

Electric reservoir heating process: influence of adjacent conductive formations on selectivity, (Tech. Paper SPE 9082) SPEJ Oct. 82, 750-754

### Restoration

Evaluation of one-well uranium leaching test, (Tech. Paper SPE 9486) SPEJ Feb. 82, 141-150

Of groundwater quality: following pilot-scale acidic in-situ uranium leaching; Nine-Mile Lake site near Casper, Wyoming, (Tech. Paper SPE 9494) SPEJ Jun. 82, 382-398

### Rock Mechanics

Hydraulic fracture geometry: fracture containment in layered formations, (Tech. Paper SPE 9261) SPEJ Jun. 82, 341-349

## S

### Salinity

High: of reservoirs; evaluation of low-tension flood process, laboratory study under reservoir conditions, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846

Optimal: characterization by: observations on series of synthetic petroleum sulfonates, (Tech. Paper SPE 8323) SPEJ Apr. 82, 226-236

Optimal: interpretation of change with overall surfactant concentration, (Tech. Paper SPE 10063) SPEJ Dec. 82, 971-982

### Salton Sea

See California, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27

### Salts

Hydrotopic: effect on phase relationships involving hydrocarbons, water, and alcohols, (Tech. Paper SPE 8987) SPEJ Jun. 82, 363-370

### Sand

Reservoir: migration of alkaline pulses, (Tech. Paper SPE 10288) SPEJ Dec. 82, 998-1012

Stresses around wellbore, (Tech. Paper SPE 9650) SPEJ Dec. 82, 883-898

Tight, gas: pulse decay permeability; analytical solution and experimental test, (Tech. Paper SPE 9744) SPEJ Oct. 82, 719-721

### Sandstone

Berea: surfactant retention; effects of phase behavior and temperature, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970

Elevated-temperature caustic interaction: implications for improving oil recovery, (Tech. Paper SPE 9810) SPEJ Aug. 82, 453-462

Elevated-temperature caustic interaction: implications for improving oil recovery; author's reply to discussion of, (Rebuttal SPE 11548) SPEJ Dec. 82, 910

Elevated-temperature caustic interaction: implications for oil recovery; discussion of, (Discussion SPE 11348) SPEJ Dec. 82, 910

Nugget: laboratory investigation; effect of in-situ stresses on hydraulic fracture containment, (Tech. Paper SPE 9834) SPEJ Jun. 82, 333-340

Nugget: multiple fracturing using tailored-pulse loading, (Tech. Paper SPE 9892) SPEJ Dec. 82, 923-932

Radial movement of permeability fronts: and multiple reaction zones, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107

Radial movement of permeability fronts: and multiple reaction zones in porous media; author's reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905

Radial movement of permeability fronts: and multiple reaction zones in porous media; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905

### Saturation

Compositional model: modeling with an equation of state; author's reply to discussion of, (Rebuttal SPE 10903) SPEJ Apr. 82, 204

Compositional model: modeling with an equation of state; discussion of, (Discussion SPE 10894) SPEJ Apr. 82, 202-203

### Scale

Control: organic additives; field tests at Salton Sea geothermal field, (Tech. Paper SPE 9091) SPEJ Feb. 82, 17-27

### Scaling

Implementation of: block iterative methods for fully implicit reservoir simulation, (Tech. Paper SPE 9303) SPEJ Oct. 82, 658-668

### Secondary Recovery

Polymer floods: gelation time for polyacrylamide/chromium (III) systems, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471

### Sedimentology

Contribution of logging data to, (Tech. Paper SPE 9270) SPEJ Feb. 82, 117-131

### Semisubmersibles

Mean- and low-frequency waves forces on, (Tech. Paper SPE 10941) SPEJ Aug. 82, 563-572

### Sensitivity Coefficient

Comparison of calculation methods in automatic history matching: discussion of, (Discussion SPE 10873) SPEJ Apr. 82, 205-208

### Shales

Devonian: geometry of a large-scale nitrogen gas hydraulic fracture; example of fracture mapping with tiltmeters, (Tech. Paper SPE 8933) SPEJ Oct. 82, 755-763

New Albany group (Devonian-Mississippian): natural gas potential; southeastern Illinois, (Tech. Paper SPE 8924) SPEJ Apr. 82, 291-300

### Silica

Amorphous: in geothermal brines; equations and type curves for predicting the polymerization of, (Tech. Paper SPE 9682) SPEJ Feb. 82, 9-16

### Simulation

Associated with hydraulic fracturing: finite element model, (Tech. Paper SPE 8941) SPEJ Apr. 82, 209-218

For interpreting temperature logs in water injection wells, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

In-situ combination: process simulator with a moving-front representation, (Tech. Paper SPE 9450) SPEJ Apr. 82, 271-279

Numerical: comparison of five-spot vs. line drive in micellar/polymer flooding, (Tech. Paper SPE 9427) SPEJ Feb. 82, 69-78

Numerical: depletion of two-phase geothermal reservoirs, (Tech. Paper SPE 8266) SPEJ Apr. 82, 280-290

Numerical: of miscible and immiscible fluid flows in porous media, (Tech. Paper SPE 9767) SPEJ Oct. 82, 635-646

Of 1/8 five-/nine-spot patterns, (Forum SPE 10915) SPEJ Dec. 82, 902

Of miscible displacement: in full-diameter carbonate cores, (Tech. Paper SPE 9233) SPEJ Oct. 82, 647-657

### Sloss Field

See Nebraska, (Tech. Paper SPE 9782) SPEJ Aug. 82, 481-492

### Slurries

Cement: transition time between fluid and set state, (Tech. Paper SPE 9285) SPEJ Dec. 82, 875-882

### Soils

Thermal conductivity determination: need for computing heat loss through buried submarine pipelines, (Tech. Paper SPE 8665) SPEJ Aug. 82, 558-562

### Solubility

Of oil and water: criteria for structuring surfactants to maximize; commercial nonionics, (Tech. Paper SPE 9815) SPEJ Oct. 82, 743-749

### South Belridge Field

See California, (Tech. Paper SPE 9450) SPEJ Apr. 82, 271-279

### Stability

Of piston-like displacements of water by steam and nitrogen; porous media, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634

Thermal: of starch- and carboxymethyl cellulose-based polymers used in drilling fluids, (Tech. Paper SPE 8463) SPEJ Apr. 82, 171-180

Thermal: of surfactants for reservoir application, (Tech. Paper SPE 7867) SPEJ Oct. 82, 722-730

Thermal: of surfactants for reservoir application; authors reply to discussion of, (Rebuttal SPE 11597) SPEJ Dec. 82, 909

Thermal: of surfactants for reservoir application; discussion of, (Discussion SPE 11323) SPEJ Dec. 82, 905-908

Vesicle: in water and brine; dispersion delivery systems and surfactant waterflooding, (Tech. Paper SPE 9349) SPEJ Feb. 82, 37-52

## Steam Drive

Oil recovery: analytical modeling of; asymptotic and approximate solutions, discussion of, (Discussion SPE 10943) SPEJ Aug. 82, 557

Oil recovery: analytical modeling of; asymptotic and approximate solutions, author's reply to discussion of, (Rebuttal SPE 10951) SPEJ Aug. 82, 557

Oil reservoir: kinetic study of desulfonation of surfactants, (Tech. Paper SPE 10936) SPEJ Dec. 82, 993-997

With nitrogen: piston-like displacement of water; stability in porous media, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634

## Stimulation

Hydraulic: fracture location with acoustic emissions tool; experience at Fenton Hill dry rock site, (Tech. Paper SPE 9509) SPEJ Aug. 82, 523-530

## Stratigraphy

Contribution of logging data to, (Tech. Paper SPE 9270) SPEJ Feb. 82, 117-131

## Stresses

In-situ: effect on hydraulic fracture containment; laboratory investigation, (Tech. Paper SPE 9834) SPEJ Jun. 82, 333-340

In-situ: some effects on hydraulic fracturing, (Tech. Paper SPE 9831) SPEJ Jun. 82, 321-332

Intensity factor: fracture containment in layered formations, (Tech. Paper SPE 9261) SPEJ Jun. 82, 341-349

Sand: around wellbore, (Tech. Paper SPE 9650) SPEJ Dec. 82, 883-898

Tubing: dual flow assembly installations, (Tech. Paper SPE 9265) SPEJ Dec. 82, 866-874

## Surfactants

Criteria for structuring to maximize solubilization of oil and water: commercial nonionics, (Tech. Paper SPE 9815) SPEJ Oct. 82, 743-749

Equivalent weight: competing roles with interfacial tension in development of a chemical flood, (Tech. Paper SPE 8898) SPEJ Aug. 82, 472-480

Flooding: consolidated porous media; effect of interfacial tensions on relative oil/water permeabilities, (Tech. Paper SPE 9783) SPEJ Jun. 82, 371-381

Flooding: effect of alkaline additives on IFT, surfactant adsorption, and recovery efficiency, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513

Flooding: effect of alkaline additives on permeability and sweep efficiency, (Tech. Paper SPE 9811) SPEJ Dec. 82, 983-992

Flooding: interfacial tensions between surfactant solutions and crude oil; use of perspective plots to aid in determining factors affecting, (Forum SPE 9969) SPEJ Jun. 82, 350-352

For reservoir application: thermal stability of, (Tech. Paper SPE 7867) SPEJ Oct. 82, 722-730

For reservoir application: thermal stability of; author's reply to discussion of, (Rebuttal SPE 11597) SPEJ Dec. 82, 909

For reservoir application: thermal stability of; discussion of, (Discussion SPE 11323) SPEJ Dec. 82, 905-908

In chemical flooding: salinity-requirement diagram a useful tool in research and development, (Tech. Paper SPE 8824) SPEJ Apr. 82, 259-270

Ion exchange with clays in the presence of, (Tech. Paper SPE 9279) SPEJ Apr. 82, 181-192

Kinetic study of desulfonation of, (Tech. Paper SPE 10936) SPEJ Dec. 82, 993-997

Low tension flood process: evaluation for high-salinity reservoir; laboratory study under reservoir conditions, (Tech. Paper SPE 8999) SPEJ Dec. 82, 831-846

Oil and brine systems: topology of phase boundaries; relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

Oil-recovery surfactant formulation: surface design experiments, (Tech. Paper SPE 8878) SPEJ Apr. 82, 237-244

Overall concentration: interpretation of change in optimal salinity, (Tech. Paper SPE 10063) SPEJ Dec. 82, 971-982

Phase behavior of micellar systems: effect of several polymers, (Tech. Paper SPE 8826) SPEJ Dec. 82, 816-830

Pseudoternary phase behavior: thermodynamic modeling, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961

Retention: in Berea sandstone; effects of phase behavior and temperature, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970

Two model systems: phase behavior studies, (Tech. Paper SPE 8984) SPEJ Feb. 82, 53-60

Waterflooding: vesicular dispersion delivery systems, (Tech. Paper SPE 9349) SPEJ Feb. 82, 37-52

## Sweep Efficiency

Effect of alkaline additives in surfactant flooding, (Tech. Paper SPE 9811) SPEJ Dec. 82, 983-992

Improvement agents: polyacrylamide/chromium (III) systems; effect of temperature on gelation time, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471

Improvement: steady-state measurements of relative permeability; polymer/oil systems, (Tech. Paper SPE 9408) SPEJ Feb. 82, 79-86

## T

## Temperature

Agent in drilling fluids: Xanthan gum; lyotropic, liquid crystalline polymer, (Forum SPE 9097) SPEJ Aug. 82, 555-556

And phase behavior: effects on surfactant retention in Berea sandstone, (Tech. Paper SPE 10064) SPEJ Dec. 82, 962-970

Effect in gas/liquid relative permeability experiments, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116

Effect on gelation time for polyacrylamide/chromium (III) Systems, (Tech. Paper SPE 10059) SPEJ Aug. 82, 463-471

Elevated: caustic/sandstone interaction: implications for improving oil recovery, (Tech. Paper SPE 9810) SPEJ Aug. 82, 453-462

Elevated: caustic/sandstone interaction: implications for improving oil recovery; author's reply to discussion of, (Rebuttal SPE 11548) SPEJ Dec. 82, 910

Elevated: caustic/sandstone interaction: implications for improving oil recovery; discussion of, (Discussion SPE 11348) SPEJ Dec. 82, 910

## Temperature Logging

In water injection wells: improved simulation for interpreting, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

## Tennessee

Sandstones: laboratory investigation; effect of in-situ stresses on hydraulic fracture containment, (Tech. Paper SPE 9834) SPEJ Jun. 82, 333-340

## Tertiary Recovery

Chemical flood: development of; competing roles of interfacial tension and surfactant equivalent weight, (Tech. Paper SPE 8898) SPEJ Aug. 82, 472-480

Linear alkaline flooding: chemical theory, (Tech. Paper SPE 8997) SPEJ Apr. 82, 245-258

Phase relationships involving hydrocarbons, water, and alcohols: effect of hydrotropic salts, (Tech. Paper SPE 8987) SPEJ Jun. 82, 363-370

Surfactant flooding: interfacial tensions between surfactant solutions and crude oil; use of perspective plots to aid in determining factors affecting, (Forum SPE 9969) SPEJ Jun. 82, 350-352

## Testing

Accuracy of chemical model for hydrothermal brines, (Tech. Paper SPE 8993) SPEJ Oct. 82, 699-708

## Texas-Waterflooding

- Collapse strength of oilwell casing: experimental study on effect of axial tension load, (Tech. Paper SPE 11238) SPEJ Oct. 82, 609-615
- Experimental: of pulse decay permeability, (Tech. Paper SPE 9744) SPEJ Oct. 82, 719-721
- Large-diameter wire ropes: fatigue behavior of, (Tech. Paper SPE 10905) SPEJ Jun. 82, 420-428
- Montmorillonite swelling: comparison of inhibitory action of KCl and guanidine hydrochloride solutions, (Tech. Paper SPE 9092) SPEJ Aug. 82, 514-522
- Of cement slurries: transition time between fluid and set states, (Tech. Paper SPE 9285) SPEJ Dec. 82, 875-882
- Two-phase geothermal well: wellbore effects in analysis, (Tech. Paper SPE 9922) SPEJ Jun. 82, 309-320

## Texas

- CO<sub>2</sub> and rich-gas displacements: effects of impurities on minimum miscibility pressures and minimum enrichment levels, (Tech. Paper SPE 9230) SPEJ Apr. 82, 219-225
- Levelland field: CO<sub>2</sub> displacement of reservoir oil, (Tech. Paper SPE 9785) SPEJ Dec. 82, 805-815
- Reservoirs: improved summation-of-fluids porosity technique applied to cores, (Tech. Paper SPE 9376) SPEJ Apr. 82, 193-201

## Thermal Properties

- Conductivity determination: of soils; need for computing heat loss through buried submarine pipelines, (Tech. Paper SPE 8665) SPEJ Aug. 82, 558-562

## Thermal Recovery of Oil

- In-situ combustion process simulator: moving-front representation, (Tech. Paper SPE 9450) SPEJ Apr. 82, 271-279
- In-situ combustion process:, (Tech. Paper SPE 10320) SPEJ Aug. 82, 493-502
- Piston-like displacements of water by steam and nitrogen: stability in porous media, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634
- Selective electric reservoir heating process: influence of adjacent conductive formations, (Tech. Paper SPE 9082) SPEJ Oct. 82, 750-754
- Steam injection: analytical modeling of; asymptotic and approximate solutions, author's reply to discussion of, (Rebuttal SPE 10951) SPEJ Aug. 82, 557
- Steam injection: analytical modeling of; asymptotic and approximate solutions, discussion of, (Discussion SPE 10943) SPEJ Aug. 82, 557
- Surfactants for steamflood additives: thermal stability for reservoir application, (Tech. Paper SPE 7867) SPEJ Oct. 82, 722-730
- Surfactants for steamflood additives: thermal stability for reservoir application: author's reply to discussion of, (Rebuttal SPE 11597) SPEJ Dec. 82, 909
- Surfactants for steamflood additives: thermal stability for reservoir application; discussion of, (Discussion SPE 11323) SPEJ Dec. 82, 905-908

## Thermodynamics

- Modeling of pseudoternary phase behavior, (Tech. Paper SPE 10062) SPEJ Dec. 82, 945-961

## Topology

- Of phase boundaries: oil/brine/surfactant systems; relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

## Tracers

- Interwell analyses: of hydraulically fractured granite geothermal reservoir, (Tech. Paper SPE 8270) SPEJ Aug. 82, 537-554

## Transmissibility

- Of 1/8 element of five-/nine-spot pattern, (Forum SPE 10915) SPEJ Dec. 82, 902

## Transports

- Particle: through perforations, (Tech. Paper SPE 7006) SPEJ Dec. 82, 857-865

## Tubing

- Well: buckling behavior; packer effect, (Tech. Paper SPE 9264) SPEJ Oct. 82, 616-624

## U

## Underwater

- Structures: repair experiences in Viking gas field, (Tech. Paper SPE 10942) SPEJ Aug. 82, 585-593

## Uranium

- Leach mining: optimization of, (Tech. Paper SPE 9488) SPEJ Feb. 82, 132-140
- Leaching: evaluation of one-well test; restoration, (Tech. Paper SPE 9486) SPEJ Feb. 82, 141-150
- Ore: in-situ leaching at Crownpoint, New Mexico; laboratory study of a mild leaching system., (Tech. Paper SPE 10231) SPEJ Dec. 82, 1013-1022

## V

## Vaporization

- Effect in gas/liquid relative permeability experiments, (Tech. Paper SPE 9729) SPEJ Feb. 82, 108-116

## Variational Methods

- For history matching: automatic; comparison of sensitivity coefficient calculation methods, (Discussion SPE 10873) SPEJ Apr. 82, 205-208

## Viking Gas Field, See North Sea

- See North Sea, (Tech. Paper SPE 10942) SPEJ Aug. 82, 585-593

## Viscosity

- Microemulsions: oil/brine/surfactant systems; topology of phase boundaries and relationship to oil recovery, (Tech. Paper SPE 9352) SPEJ Feb. 82, 28-36

## Volume

- Pore water: improved summation-of-fluids porosity technique, (Tech. Paper SPE 9376) SPEJ Apr. 82, 193-201

## W

## Water

- And oil: criteria for structuring surfactants to maximize solubilization; commercial nonionics, (Tech. Paper SPE 9815) SPEJ Oct. 82, 743-749
- Column: residence time of oil mixed into by breaking waves, (Tech. Paper SPE 10933) SPEJ Aug. 82, 573-584
- In pores: improved summation-of-fluids porosity technique, (Tech. Paper SPE 9376) SPEJ Apr. 82, 193-201
- Oil, relative permeabilities: effect of interfacial tensions on; consolidated porous media, (Tech. Paper SPE 9783) SPEJ Jun. 82, 371-381
- Phase relationships involving hydrocarbons and alcohols: effect of hydrotropic salts, (Tech. Paper SPE 8987) SPEJ Jun. 82, 363-370
- Piston-like displacement by steam and nitrogen: stability in porous media, (Tech. Paper SPE 9732) SPEJ Oct. 82, 625-634

## Water Wells

- Injection; improved simulation for interpreting temperature logs, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

## Waterflooding

- Followed by mini CO<sub>2</sub> flooding operations: Miguel Creek field, New Mexico; scanning electron microscopy and core analysis, (Tech. Paper SPE 10302) SPEJ Dec. 82, 797-804
- Followed by surfactant flooding: effect of alkaline additives on IFT, surfactant adsorption and recovery efficiency, (Tech. Paper SPE 8998) SPEJ Aug. 82, 503-513
- Surfactant: vesicular dispersion delivery systems, (Tech. Paper SPE 9349) SPEJ Feb. 82, 37-52



**Wave Action**

- By breaking waves: residence time of oil mixed into water column, (Tech. Paper SPE 10933) SPEJ Aug. 82, 573-584
- On semisubmersibles: mean- and low-frequency forces, (Tech. Paper SPE 10941) SPEJ Aug. 82, 563-572

**Wave Height**

- Comparison of various numerical prediction techniques, (Tech. Paper SPE 8544) SPEJ Oct. 82, 764-774

**Well Completion**

- Dual flow assembly installations: tubing movement, forces and stresses, (Tech. Paper SPE 9265) SPEJ Dec. 82, 866-874
- Packer effect on buckling behavior of well tubing, (Tech. Paper SPE 9264) SPEJ Oct. 82, 616-624
- Water injection wells: improved simulation for interpreting temperature logs, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

**Well Logging**

- Data: contribution to sedimentology and stratigraphy, (Tech. Paper SPE 9270) SPEJ Feb. 82, 117-131
- Temperature logs: water injection wells; improved simulation for interpreting, (Tech. Paper SPE 10081) SPEJ Oct. 82, 709-718

**Well Pattern**

- Design: uranium leach mining; optimization of, (Tech. Paper SPE 9488) SPEJ Feb. 82, 132-140
- Five-spot vs. line drive: numerical simulation comparison; micellar/polymer flooding, (Tech. Paper SPE 9427) SPEJ Feb. 82, 69-78
- Five-spot: simulation of 1/8 element, (Forum SPE 10915) SPEJ Dec. 82, 902
- Nine-spot: simulation of 1/8 element, (Forum SPE 10915) SPEJ Dec. 82, 902

**Well Stimulation**

- Acidizing: radial movement of permeability fronts; and multiple reaction zones in porous media, (Tech. Paper SPE 9495) SPEJ Feb. 82, 99-107
- Acidizing: radial movement of permeability fronts; and multiple reaction zones in porous media; author's reply to discussion of, (Rebuttal SPE 11590) SPEJ Dec. 82, 905
- Acidizing: radial movement of permeability fronts; and multiple reaction zones in porous media; discussion of, (Discussion SPE 11284) SPEJ Dec. 82, 903-905
- Hydraulic fracturing: finite element model simulations, (Tech. Paper SPE 8941) SPEJ Apr. 82, 209-218
- Multiple fracturing of boreholes: use of tailored-pulse loading, (Tech. Paper SPE 9892) SPEJ Dec. 82, 923-932

**Wellbore Mechanics**

- Of two-phase geothermal well tests, (Tech. Paper SPE 9922) SPEJ Jun. 82, 309-320
- Sand stresses around, (Tech. Paper SPE 9650) SPEJ Dec. 82, 883-898

**Wire Rope**

- Large-diameter: fatigue behavior of, (Tech. Paper SPE 10905) SPEJ Jun. 82, 420-428

**Wyoming**

- Nine-Mile Lake site near Casper: pilot-scale acidic in-situ uranium leaching; restoration of groundwater quality following, (Tech. Paper SPE 9494) SPEJ Jun. 82, 382-398

**X**

**Xanthan Gum**

- Lyotropic, liquid crystalline polymer: properties as a suspending agent, (Forum SPE 9097) SPEJ Aug. 82, 555-556